114.3 CMR 17.00: MEDICINE

Section

17.01: General Provisions17.02: General Definitions17.03: General Rate Provisions

17.04: Maximum Allowable Fees - Medical Services

17.05: Severability

17.01: General Provisions

- (1) Scope, Purpose and Effective Date. 114.3 CMR 17.00 governs the rates of payment used by all governmental units for medical services rendered to publicly-aided patients by eligible providers. 114.3 CMR 17.00 is effective on and after July 6, 2006. Rates for services rendered to individuals covered by the Worker's Compensation Act, M.G.L. c. 152, are set forth at 114.3 CMR 40.00.
- (2) <u>Coverage</u>. 114.3 CMR 17.00 and the rates of payment contained herein shall apply in the following situations:
 - (a) Medical services rendered to patients in a private medical office, licensed clinic, facility, hospital outpatient department, patient's residence or other appropriate setting by an eligible provider who bills for the medical services rendered and receives no other compensation for medical services rendered.
 - (b) Medical services rendered to registered bed patients in a licensed health care facility by an eligible provider who is not under contractual arrangement with such facility to provide medical services, and who bills separately and apart from such facility for medical services rendered.

The rates of payment under 114.3 CMR 17.00 are full compensation for patient care rendered to publicly aided patients as well as for any related administrative or supervisory duties in connection with patient care. The rates of payment also reimburse all overhead expenses associated with the service provided.

- (3) <u>Disclaimer of Authorization of Services</u>. 114.3 CMR 17.00 is not authorization for or approval of the procedures for which rates are determined pursuant to 114.3 CMR 17.00. Governmental units that purchase care are responsible for the definition, authorization, and approval of care and services extended to publicly aided clients.
- (4) <u>Coding Updates and Corrections</u>. The Division may publish procedure code updates and corrections in the form of an Informational Bulletin. Updates may reference coding systems including but not limited to the American Medical Association's *Current Procedural Terminology* (CPT). The publication of such updates and corrections will list:
 - (a) codes for which only the code numbers change, with the corresponding cross references between existing and new codes;

- (b) deleted codes for which there are no corresponding new codes; and
- (c) codes for entirely new services that require pricing. The Division will list these codes and apply individual consideration (I.C.) reimbursement for these codes until appropriate rates can be developed.
- (5) <u>Administrative Information Bulletins</u>. The Division may issue administrative information bulletins to clarify its policy on and understanding of substantive provisions of 114.3 CMR 17.00.

17.02: General Definitions

(1) Meaning of Terms. The descriptions and five-digit codes included in 114.3 CMR 17.00 utilize the Healthcare Common Procedure Code System (HCPCS) for Level I and Level II coding. Level I CPT-4 codes are obtained from the Physicians' Current Procedural Terminology, copyright 2005 by the American Medical Association (CPT) unless otherwise specified. Level II codes are obtained from 2006 HCPCS maintained jointly by the Centers for Medicare and Medicaid Services (CMS), the Blue Cross and Blue Shield Association, and the Health Insurance Association of America. HCPCS is a listing of descriptive terms and identifying codes and modifiers for reporting medical services and procedures performed by physicians and other healthcare professionals, as well as associated non-physician services. No fee schedules, basic unit value, relative value guides, conversion factors or scales are included in any part of the Physicians' Current Procedure Terminology.

114.3 CMR 17.00 includes only HCPCS numeric and alpha-numeric identifying codes and modifiers for reporting medical services and procedures that were selected by the Massachusetts Division of Health Care Finance and Policy. Any use of CPT outside the fee schedule should refer to the Physicians' *Current Procedural Terminology*. All rights reserved.

In addition, terms used in 114.3 CMR 17.00 shall have the meanings set forth in 114.3 CMR 17.02.

<u>Confirmatory (Additional Opinion) Consultation</u>. When the consulting physician is aware of the confirmatory nature of the opinion that is sought (e.g., when a patient requests a second/third opinion on the necessity or appropriateness of a recommended medical treatment or surgical procedure).

<u>Consultation</u>. A type of service provided by a physician whose opinion or advice regarding evaluation and/or management of a specific problem is requested by another physician or other appropriate source.

A physician consultant may initiate diagnostic and/or therapeutic services.

The request for a consultation from the attending physician or other appropriate source and the need for consultation must be documented in the patient's medical record. The consultant's opinion and any services that were ordered or performed must also be documented in the patient's medical record and communicated to the requesting physician or other appropriate source.

Any specifically identifiable procedure (i.e., identified with a specific CPT code) performed on or subsequent to the date of the initial consultation should be reported separately.

If a consultant subsequently assumes responsibility for management of a portion or all of the patient's condition(s), the consultation codes should not be used.

<u>Early and Periodic Screening, Diagnosis and Treatment (EPSDT).</u> A program of health screening and other medical services for publicly-assisted individuals under the age of 21 as required by federal law. Refer to 114.3 17.03(4) for reimbursement guidelines.

<u>Eligible Provider</u>. A licensed physician or licensed osteopath, licensed podiatrist, other than an intern, resident, fellow or house officer, who also meets such conditions of participation as have been or may be adopted from time to time by a governmental unit.

A provider of diagnostic medical services, who must provide such services in accordance with generally accepted professional standards and in accordance with state licensing requirements and/or certification by national credentialing bodies, as required by law. Such medical diagnostic services may be rendered by eligible providers such as, but not limited to, MRI centers, independent diagnostic testing facilities (IDTFs), portable x-ray providers and mammography vans. These eligible providers must be physically and financially independent of a hospital or a physician's office. The provider's eligibility is limited to those procedures specified by the governmental unit purchasing such services, and must meet such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

A clinic licensed by the Massachusetts Department of Public Health in accordance with regulations 105 CMR 140.000 to provide medical diagnostic services. The provider's eligibility is limited to those procedures specified by the governmental unit purchasing such services, and must meet such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

Eligible Mid-Level Practitioner.

A licensed registered nurse who is authorized by the Board of Registration in Nursing to practice as a nurse practitioner, whose eligibility is limited to those procedures specified by the governmental unit purchasing such services, and who also meets such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

A licensed registered nurse who is authorized by the Board of Registration in Nursing to practice as a nurse midwife, whose eligibility is limited to those procedures specified by the governmental unit purchasing such services, and who also meets such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

A licensed physician assistant, who is authorized by the Board of Registration for Physician Assistants to practice as a physician assistant, whose eligibility is

limited to those procedures specified by the governmental unit purchasing such services, and who also meets such conditions of participation as may have been or may be adopted from time to time by a government unit.

A registered nurse providing tobacco cessation services, whose eligibility is limited to those procedures specified by the governmental unit purchasing such services, and who also meets such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

A tobacco cessation counselor, who has completed appropriate training in tobacco cessation counseling according to the qualification criteria established by the purchasing governmental unit, whose eligibility is limited to those procedures specified by the governmental unit purchasing such services, and who also meets such conditions of participation as may have been or may be adopted from time to time by a governmental unit.

<u>Established Patient</u>. A patient who has received professional services from the physician within the past three years.

Facility Setting.

Payments for services provided in a hospital, including without limitation a hospital inpatient department, outpatient department, emergency department, and hospital licensed health center, or skilled nursing facility or free standing ambulatory surgical center (ASC) will be made according to a facility fee when an applicable facility fee has been established for that procedure.

Governmental Unit. The Commonwealth, any department, agency, board or commission of the Commonwealth and any political subdivision of the Commonwealth

<u>Independent (Nurse Practitioner or Nurse Midwife):</u> Qualified and eligible to bill as a MassHealth Provider. *See* Eligible Mid-Level Practitioner.

<u>Individual Consideration</u>. Medical services, which are authorized but not listed herein, medical services performed in unusual circumstances and services designated "I.C." are individually considered items. The governmental unit or purchaser shall analyze the eligible provider's report of services rendered and charges submitted under the appropriate unlisted services or procedures category. Determination of appropriate payment for procedures designated I.C. shall be in accordance with the following standards and criteria:

- (a) the amount of time required to perform the service;
- (b) the degree of skill required to perform the service;
- (c) the severity or complexity of the patient's disease, disorder or disability;
- (d) any applicable relative-value studies;
- (e) any complications or other circumstances that may be deemed relevant;
- (f) the policies, procedures and practices of other third party insurers;
- (g) the payment rate for prescribed drugs as set forth at 114.3 CMR 31.00; and
- (h) a copy of the current invoice from the supplier.

<u>Levels of E/M Services</u>. Within each category or subcategory of E/M service, there are three to five levels of E/M services available for reporting purposes. Levels of E/M services are not interchangeable among the different categories or subcategories of service.

The levels of E/M services include examinations, evaluations, treatments, conferences with or concerning patients, preventive pediatric and adult health supervision and similar medical services. The levels of E/M services encompass the wide variations in skill, effort, time, responsibility and medical knowledge required for the prevention or diagnosis and treatment of illness or injury and the promotion of optimal health. Each level of E/M services may be used by all physicians.

Coordination of care with other providers or agencies without a patient encounter on that day is reported using the case management codes.

For a full discussion of the levels of E/M services, refer to the 2004 CPT handbook.

<u>Modifiers</u>. Listed services may be modified under certain circumstances. When applicable, the modifying circumstances should be identified by the addition of the appropriate two digit number or letters.

New Patient. A patient who has not received any professional services from the physician within the past three years.

<u>Physical Medicine</u>. The physical medicine procedure codes apply only when:

- a) the physician prescribed the needed therapy; and
- b) the services are provided by the physician or a licensed physical or occupational therapist employed by the physician.

<u>Publicly Aided Individual</u>. A person who receives health care and services for which a governmental unit is in whole or in part liable under a statutory program of public assistance.

<u>Referral</u>. The transfer of the total or specific care from one physician to another. For the purposes of 114.3 CMR 17.00 a referral is not a consultation.

<u>Special Report</u>. A service that is rarely provided, unusual, variable, or new may require a special report in determining medical appropriateness of the service. Pertinent information should include an adequate definition or description of the nature, extent, and need for the procedure; and the time, effort and equipment necessary to provide the service.

<u>Unlisted Procedure or Service</u>. A service or procedure may be provided that is not listed in Regulation 114.3 CMR 17.04. When reporting such a service, the appropriate "Unlisted Procedure" code may be used to indicate the service, identifying it by "Special Report."

17.03: General Rate Provisions

- (1) <u>Rate Determination</u>. Rates of payment to which 114.3 CMR 17.00 applies shall be the lowest of:
 - (a) The eligible provider's usual fee to patients other than publicly-aided; or
 - (b) The eligible provider's actual charge submitted; or
 - (c) The schedule of allowable fees set forth in 114.3 CMR 17.04(4) in accordance with 114.3 CMR 17.03.

(2) Supplemental Payment

- (a) <u>Eligibility</u>. An eligible provider may receive a supplemental payment for services to publicly aided individuals eligible under Titles XIX and XXI of the Social Security Act if the following conditions are met:
 - 1. the eligible provider is employed by a non-profit group practice that was established in accordance with St. 1997, c.163 and is affiliated with a Commonwealth-owned medical school;
 - 2. such non-profit group practice shall have been established on or before January 1, 2000 in order to support the purposes of a teaching hospital affiliated with and appurtenant to a Commonwealth-owned medical school; and
 - 3. the services are provided at a teaching hospital affiliated with and appurtenant to a Commonwealth-owned medical school.
- (b) <u>Payment Method.</u> This supplemental payment may not exceed the difference between:
 - 1. payments to the eligible provider made pursuant to the rates applicable under 114.3 CMR 17.03(1), and
 - 2. the Federal upper payment limit set forth in 42 CFR 447.325.
- (3) <u>Rate Variations Based on Practice Site.</u> Payments for certain services that can be routinely furnished in physicians' offices are reduced when such services are furnished in facility settings. 114.3 CMR 17.04 establishes facility setting fees applied to services rendered in a facility when a practice site differential is warranted.
- (4) Allowable Mid-Level Fee for Qualified Mid-Level Practitioners. Payment for services provided by eligible licensed nurse practitioners, eligible licensed nurse midwives, eligible licensed physician assistants, eligible registered nurses, and eligible tobacco cessation counselors as specified in 114.3 CMR 17.02 is 85% of the fees contained in 114.3 CMR 17.04(4). This rule does not apply to the EPSDT add-on code S0302 described in 114.3 CMR 17.03(5) or for tobacco cessation services. The rates for tobacco cessation services are listed in section 114.3 CMR 17.04(4) according to codes G0376 through G0376U3.
- (5) <u>Early and Periodic Screening</u>, <u>Diagnosis and Treatment (EPSDT) Add-On Code</u>. To identify a well child office visit in accordance with the EPSDT schedule, use code S0302 in addition to the appropriate preventive medicine service in 114.3 CMR 17.04(4). S0302 is always performed in addition to the primary procedure and must never be reported as a stand-alone code.

(6) <u>Services and Payments Covered Under Other Regulations.</u> Rules and reimbursement rates for services listed herein are contained in other Division regulations.

Regulation Title	Regulation Number	Affected Services
Chiropractic Care	114.3 CMR 28.00	Chiropractic Manipulation Codes 98940 to 98943
Rehabilitation Clinic Services, Audiology Services and Restorative Services	114.3 CMR 39.00	Audiologic Codes 92590 to 92595
Vision Care Services and Ophthalmic Materials	114.3 CMR 15.00	Spectacle Service Codes 92340-92342, 92370 and Screening Code 99173

(7) <u>CPT Category III Codes. All medicine related CPT category III codes are included as a part of this regulation and have an assigned fee of IC.</u>

17.04: Maximum Allowable Fees

- (1) Drugs, Medications, Supplies and Laboratory Specimen Collections.
 - (a) Payment rates for drugs, vaccines and immune globulins administered in a physician's office shall be the lower of the fee listed in 114.3 CMR 17.04(4) or the current Medicare fee.
 - (b) Supplies and materials used in preparation for or as part of a procedure (e.g., bandages, laboratory kits, syringes or disposable gloves) are not reimbursed separately, but included in the office visit rate. In addition, no supplemental charge shall be submitted nor payment allowed for routine specimen collection in a physician's office and preparation for clinical laboratory analysis (and activities related thereto), e.g., venipuncture, urine, fecal and sputum samples, culturing, swabbing and scraping for removal of tissues
 - (c) Where applicable, payment for drugs, medicines, supplies, and related materials dispensed to patients shall be in accordance with rates which are the subject matter of other regulations that may be in effect and germane to the item in question (e.g., laboratory, pharmacy, medical supplies, etc.) not to exceed the cost of the item to the physician.
 - In other instances where the use of another regulation is not appropriate, certain supplies and materials (except eyeglasses), provided by the physician over and above those usually included with the office visit or other services rendered should be billed under code (99070).
 - (d) Payment for drugs and/ or biologicals may be claimed in addition to an office visit. Drugs that are considered routine and integral to the delivery of a physician's professional services in the course of diagnosis or treatment

are not reimbursable. Such drugs are commonly provided without charge or are included in the physician's fee for the service.

Drugs and/or biologicals available free of charge from the Massachusetts Department of Public Health are not payable items.

When an immunization or injection is the primary purpose of an office or other outpatient visit, the provider may bill only for the injectable material and its administration. However, when the immunization or injection is not the primary purpose of the office or other outpatient visit, a provider may bill for both the visit and the immunization or injectable material, but not for its administration.

(2) Unless otherwise specified, guidelines, notes and definitions provided in the 2004 CPT Coding Handbook are applicable to the use of the procedure codes and descriptions listed below.

(3) Modifiers

- <u>-26</u>: <u>Professional Component.</u> The component of a service or procedure representing the physicians' work interpreting or performing the service or procedure. When the physician component is reported separately, the addition of the modifier '-26' to the appropriate procedure code will allow the professional component allowable fee (PC Fee) contained in 114.3 CMR 17.04(4) to be paid.
- <u>-50</u>: <u>Bilateral Procedures</u>. Unless otherwise identified in the procedure code listing, bilateral procedures performed at the same operative session must be identified by the appropriate service code describing the first procedure. The second bilateral procedure is identified by adding the modifier '50' to the end of the service code. The addition of the modifier '50' to the second bilateral codes allows 50% of the allowable fee contained in 114.3 CMR 17.04(4) to be paid to the eligible provider for the second bilateral procedure.
- <u>-51:</u> Multiple Procedures. This modifier must be used to report multiple procedures performed at the same session. The service code for the major procedure or service must be reported without a modifier. The secondary, additional or lesser procedure(s) must be identified by adding the modifier '51' to the end of the service code for the secondary procedure(s). The addition of the modifier '51' to the second and subsequent procedure codes allows 50% of the allowable fee contained in 114.3 CMR 17.04(4) to be paid to the eligible provider.

Note: This modifier should not be used with designated "add-on" codes or with codes in which the narrative begins with "each additional".

<u>-52</u>: Reduced Service. Under certain circumstances a service or procedure is partially reduced or eliminated at the physician's election. Under these circumstances, the service provided can be identified by its usual procedure number and addition of the modifier '-52' signifying that the service is reduced.

- <u>-GO</u>: Services delivered personally by an occupational therapist or under an outpatient occupational therapy plan of care.
- <u>-GP:</u> Services delivered personally by an physical therapist or under an outpatient physical therapy plan of care.
- <u>-HN: Bachelor's Degree Level.</u> (Use to indicate Physician Assistant) (This modifier is to be applied to service codes billed by a physician which were performed by a physician assistant employed by the physician or group practice.)
- -SA: Nurse Practitioner rendering service in collaboration with a physician. (This modifier is to be applied to service codes billed by a physician which were performed by a non-independent nurse practitioner employed by the physician or group practice.) (An independent nurse practitioner billing under his/her own individual provider number should not use this modifier.)
- <u>-SB</u>: Nurse Midwife. (This modifier is to be applied to service codes billed by a physician which were performed by a non-independent nurse midwife employed by the physician or group practice.) (An independent nurse midwife billing under his/her own individual provider number should not use this modifier.)
- <u>-SL:</u> State Supplied Vaccine. (This modifier should only be applied to codes 90471 and 90473 to identify vaccines administered under the Vaccine for Children Program (VFC) for individuals ages 18 years and under.)
- <u>-TC: Technical Component.</u> The component of a service or procedure representing the cost of rent, equipment, utilities, supplies, administrative and technical salaries and benefits, and other overhead expenses of the service or procedures, excluding the physician's professional component. When the technical component is reported separately the addition of modifier '-TC' to the procedure code will allow the technical component allowable fee (TC Fee) contained in 114.3 CMR 17.04(4) to be paid.

(4) Fee Schedule

NFAC – These amounts apply when service is performed in a non-facility setting FAC – These amounts apply when service is performed in a facility setting Global Fee – These amounts apply when no site of service differential rate is specified.

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
90281			I.C.			Immune globulin (Ig), human, for intramuscular use
90283			I.C.			Immune globulin (IgIV), human, for intravenous use
90287			I.C.			Botulinum antitoxin, equine, any route
J0207			1.0.			Botulism immune globulin, human, for intravenous
90288			I.C.			use
						Cytomegalovirus immune globulin (CMV-IgIV),
90291			I.C.			human, for intravenous use
90296			I.C.			Diphtheria antitoxin, equine, any route
90290			1.C.			Hepatitis B immune globulin (HBIg), human, for
90371			119.74			intramuscular use
90371			115.74			
00275			64.50			Rabies immune globulin (RIg), human, for
90375			64.59			intramuscular and/or subcutaneous use
00056			60.20			Rabies immune globulin, heat-treated (RIg-HT),
90376			69.23			human, for intramuscular and/or subcutaneous use
						Respiratory syncytial virus immune globulin (RSV-
90378			I.C.			IgIM), for intramuscular use, 50 mg, each
						Respiratory syncytial virus immune globulin (RSV-
90379			I.C.			IgIV), human, for intravenous use
						Rho(D) immune globulin (RhIg), human, full-dose,
90384			I.C.			for intramuscular use
						Rho(D) immune globulin (RhIg), human, mini-
90385			4.93			dose, for intramuscular use
						Rho(D) immune globulin (RhIgIV), human, for
90386			I.C.			intravenous use
						Tetanus immune globulin (TIg), human, for
90389			I.C.			intramuscular use
						Vaccinia immune globulin, human, for
90393			I.C.			intramuscular use
						Varicella-zoster immune globulin, human, for
90396			I.C.			intramuscular use
90399			I.C.			Unlisted immune globulin
						Immunization administration under 8 years of age
						(includes percutaneous, intradermal, subcutaneous,
						or intramuscular injections) when the physician
						counsels the patient/family; first injection (single or
90465			15.20			combination vaccine/toxoid), per day
						Immunization administration under 8 years of age
						(includes percutaneous,intradermal, subcutaneous,
						or intramuscular injections) when thephysician
						counsels the patient/family; first injection (single
90465-SL			15.78			orcombination vaccine/toxoid), per day
						Immunization administration under 8 years of age
						(includes percutaneous, intradermal, subcutaneous,
						or intramuscular injections) when the physician
						counsels the patient/family; each additional
						injection (single or combination vaccine/toxoid),
						per day (List separately in addition to code for
90466			8.69			primary procedure)

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Immunization administration under age 8 years
						(includes intranasal or oral routes of
						administration) when the physician counsels the
						patient/family; first administration (single or
90467	10.57	7.92				combination vaccine/toxoid), per day
						Immunization administration under age 8 years
						(includes intranasal ororal routes of administration)
						when the physician counsels thepatient/family; first
						administration (single or
90467-SL			15.78			combinationvaccine/toxoid), per day
70107 BE			15.70			Immunization administration under age 8 years
						(includes intranasal or oral routes of
						administration) when the physician counsels the
						patient/family; each additional administration
						1 -
						(single or combination vaccine/toxoid), per day
00469	9.02	6 27				(List separately in addition to code for primary
90468	8.03	6.37				procedure)
						Immunization administration (includes
						percutaneous, intradermal, subcutaneous, or
						intramuscular injections); one vaccine (single or
90471			15.20			combination vaccine/toxoid)
						Immunization administration (includes
						percutaneous, intradermal, subcutaneous, or
						intramuscular injections); one vaccine (single
						orcombination vaccine/toxoid) (State Supplied
						Vaccine) (Only to be used for administration of
						Vaccine for Children (VFC) pediatric vaccines for
						individuals ages 18 years and under.) (Not in
						conjunction with an office visit or other outpatient
90471-SL			15.78			visit)
						Immunization administration (includes
						percutaneous, intradermal, subcutaneous, or
						intramuscular injections); each additional vaccine
						(single or combination vaccine/toxoid) (List
						separately in addition to code for primary
90472			8.69			procedure)
						Immunization administration by intranasal or oral
						route; one vaccine (single or combination
90473	11.23	7.26				vaccine/toxoid)
						Immunization administration by intranasal or oral
						route; one vaccine(single or combination
						vaccine/toxoid) (State Supplied Vaccine) (Only to
						be used for administration of Vaccine for Children
						(VFC) pediatric vaccines for individuals ages 18
						years and under.) (Not in conjunction with an office
90473-SL			15.78			visit or other outpatient visit)
302 51			15.70			Immunization administration by intranasal or oral
						route; each additional vaccine (single or
						combination vaccine/toxoid) (List separately in
90474	7.69	6.37				addition to code for primary procedure)
90474	7.07	0.51	I.C.			Adenovirus vaccine, type 4, live, for oral use
						7.
90477			I.C.			Adenovirus vaccine, type 7, live, for oral use

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
90581			I.C.			Anthrax vaccine, for subcutaneous use
						Bacillus Calmette-Guerin vaccine (BCG) for
90585			116.56			tuberculosis, live, for percutaneous use
						Bacillus Calmette-Guerin vaccine (BCG) for
90586			111.54			bladder cancer, live, for intravesical use
						Hepatitis A vaccine, adult dosage, for
90632			46.83			intramuscular use
						Hepatitis A vaccine, pediatric/adolescent dosage-2
90633			23.83			dose schedule, for intramuscular use
						Hepatitis A vaccine, pediatric/adolescent dosage-3
90634			23.86			dose schedule, for intramuscular use
						Hepatitis A and hepatitis B vaccine (HepA-HepB),
90636			I.C.			adult dosage, for intramuscular use
						Hemophilus influenza b vaccine (Hib), HbOC
90645			21.52			conjugate (4 dose schedule), for intramuscular use
						Hemophilus influenza b vaccine (Hib), PRP-D
90646			I.C.			conjugate, for booster use only, intramuscular use
						Hemophilus influenza b vaccine (Hib), PRP-OMP
90647			21.52			conjugate (3 dose schedule), for intramuscular use
						Hemophilus influenza b vaccine (Hib), PRP-T
90648			21.78			conjugate (4 dose schedule), for intramuscular use
						Human Papilloma virus (HPV) vaccine, types 6,
						11, 16, 18 (quadrivalent), 3 dose schedule, for
90649			I.C.			intramuscular use
						Influenza virus vaccine, split virus, preservative
00655			14.60			free, for children 6-35 months of age, for
90655			14.68			intramuscular use
						Influenza virus vaccine, split virus, preservative free, for use in individuals 3 years and above, for
90656			15.82			intramuscular use
70050			13.02			Influenza virus vaccine, split virus, for children 6-
90657			6.03			35 months of age, for intramuscular use
70031			0.03			Influenza virus vaccine, split virus, for use in
						individuals 3 years of age and above, for
90658			12.06			intramuscular use
90660			21.18			Influenza virus vaccine, live, for intranasal use
						Lyme disease vaccine, adult dosage, for
90665			I.C.			intramuscular use
						Pneumococcal conjugate vaccine, polyvalent, for
90669			I.C.			children under 5 years, for intramuscular use
90675			156.73			Rabies vaccine, for intramuscular use
90676			I.C.			Rabies vaccine, for intradermal use
						Rotavirus vaccine, pentavalent, 3 dose schedule,
90680			I.C.			live, for oral use
90690			I.C.			Typhoid vaccine, live, oral
						Typhoid vaccine, Vi capsular polysaccharide
90691			50.68			(ViCPs), for intramuscular use
						Typhoid vaccine, heat- and phenol-inactivated (H-
90692			I.C.			P), for subcutaneous or intradermal use

Code	NFAC		obal Fee	PC Fee	TC Fee	Description
90693			I.C.			Typhoid vaccine, acetone-killed, dried (AKD), for subcutaneous use (U.S. military)
						Diphtheria, tetanus toxoids, acellular pertussis
						vaccine, haemophilus influenza Type B, and
						poliovirus vaccine, inactivated (DTaP - Hib - IPV),
90698			I.C.			for intramuscular use
						Diphtheria, tetanus toxoids, and acellular pertussis
						vaccine (DTaP), for use in individuals younger than
90700			23.47			7 years, for intramuscular use
						Diphtheria, tetanus toxoids, and whole cell
90701			I.C.			pertussis vaccine (DTP), for intramuscular use
						Diphtheria and tetanus toxoids (DT) adsorbed for
00702			10.20			use in individuals younger than 7 years, for
90702			18.30			intramuscular use
90703			18.34			Tetanus toxoid adsorbed, for intramuscular use
90704			19.14			Mumps virus vaccine, live, for subcutaneous use
90705			14.52			Measles virus vaccine, live, for subcutaneous use
90706			16.16			Rubella virus vaccine, live, for subcutaneous use
						Measles, mumps and rubella virus vaccine (MMR),
90707			38.59			live, for subcutaneous use
						Measles and rubella virus vaccine, live, for
90708			I.C.			subcutaneous use
						Measles, mumps, rubella, and varicella vaccine
90710			I.C.			(MMRV), live, for subcutaneous use
90712			I.C.			Poliovirus vaccine, (any type(s)) (OPV), live, for oral use
						Poliovirus vaccine, inactivated, (IPV), for
90713		2	24.89			subcutaneous or intramuscular use
						Tetanus and diphtheria toxoids (Td) adsorbed,
						preservative free, for use in individuals 7 years or
90714			18.26			older, for intramuscular use
						Tetanus, diphtheria toxoids and acellular pertussis
00515						vaccine (Tdap), for use in individuals 7 years or
90715			I.C.			older, for intramuscular use
90716		- I	67.48			Varicella virus vaccine, live, for subcutaneous use
90717		-	54.44			Yellow fever vaccine, live, for subcutaneous use
						Tetanus and diphtheria toxoids (Td) adsorbed for
00710			10.26			use in individuals 7 years or older, for
90718			18.26			intramuscular use
90719			I.C.			Diphtheria toxoid, for intramuscular use
						Diphtheria, tetanus toxoids, and whole cell pertussis vaccine and Hemophilus influenza B
90720			I.C.			vaccine (DTP-Hib), for intramuscular use
70120			1.C.			Diphtheria, tetanus toxoids, and acellular pertussis
						vaccine and Hemophilus influenza B vaccine
90721			41.72			(DtaP-Hib), for intramuscular use
						Diphtheria, tetanus toxoids, acellular pertussis
						vaccine, Hepatitis B, and poliovirus vaccine,
						inactivated (DtaP-HepB-IPV), for intramuscular
90723			I.C.			use

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
90725			I.C.			Cholera vaccine for injectable use
90727			I.C.			Plague vaccine, for intramuscular use
						Pneumococcal polysaccharide vaccine, 23-valent,
						adult or immunosuppressed patient dosage, for use
						in individuals 2 years or older, for subcutaneous or
90732			27.03			intramuscular use
00500			04.46			Meningococcal polysaccharide vaccine (any
90733			84.46			group(s)), for subcutaneous use
90734			I.C.			Meningococcal conjugate vaccine, serogroups A, C, Y and W-135 (tetravalent), for intramuscular use
						Japanese encephalitis virus vaccine, for
90735			100.10			subcutaneous use
00707			1.0			Zoster (shingles) vaccine, live, for subcutaneous
90736			I.C.			injection Hepatitis B vaccine, dialysis or immunosuppressed
						patient dosage (3 dose schedule), for intramuscular
90740			113.91			use
70740			113.71			Hepatitis B vaccine, adolescent (2 dose schedule),
90743			57.55			for intramuscular use
70715			37.33			Hepatitis B vaccine, pediatric/adolescent dosage (3
90744			68.38			dose schedule), for intramuscular use
						Hepatitis B vaccine, adult dosage, for intramuscular
90746			56.96			use
						Hepatitis B vaccine, dialysis or immunosuppressed
						patient dosage (4 dose schedule), for intramuscular
90747			113.91			use
						Hepatitis B and Hemophilus influenza b vaccine
90748			I.C.			(HepB-Hib), for intramuscular use
90749			I.C.			Unlisted vaccine/toxoid
90760			53.63			Intravenous infusion, hydration; initial, up to 1 hour
						Intravenous infusion, hydration; each additional
00761			16.64			hour, up to 8 hours (List separately in addition to
90761			16.64			code for primary procedure) Intravenous infusion, for therapy, prophylaxis, or
						diagnosis (specify substance or drug); initial, up to
90765			65.66			1 hour
						Intravenous infusion, for therapy, prophylaxis, or
						diagnosis (specify substance or drug); each
						additional hour, up to 8 hours (List separately in
90766			21.12			addition to code for primary procedure)
						Intravenous infusion, for therapy, prophylaxis, or
						diagnosis (specify substance or drug); additional
00767			25.62			sequential infusion, up to 1 hour (List separately in
90767			35.63			addition to code for primary procedure) Intravenous infusion, for therapy, prophylaxis, or
						diagnosis (specify substance or drug); concurrent
						infusion (List separately in addition to code for
90768			20.18			primary procedure)
						Therapeutic, prophylactic or diagnostic injection
						(specify substance or drug); subcutaneous or
90772			15.20			intramuscular

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Therapeutic, prophylactic or diagnostic injection
90773			15.76			(specify substance or drug); intra-arterial
						Therapeutic, prophylactic or diagnostic injection
						(specify substance or drug); intravenous push,
90774			48.93			single or initial substance/drug
						Therapeutic, prophylactic or diagnostic injection
						(specify substance or drug); each additional
						sequential intravenous push of a new
00777			22.54			substance/drug (List separately in addition to code
90775			22.54			for primary procedure)
						Unlisted therapeutic, prophylactic or diagnostic
90779			I.C.			intravenous or intra-arterial injection or infusion
90801	117.73	109.78				Psychiatric diagnostic interview examination
						Interactive psychiatric diagnostic interview
						examination using play equipment, physical
						devices, language interpreter, or other mechanisms
90802	124.77	117.49				of communication
						Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an office
00004	50.45	46.04				or outpatient facility, approximately 20 to 30
90804	50.45	46.81				minutes face-to-face with the patient;
						Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an office
						or outpatient facility, approximately 20 to 30
00005	55.00	50.57				minutes face-to-face with the patient; with medical
90805	55.22	52.57				evaluation and management services
						Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an office or outpatient facility, approximately 45 to 50
90806	75.65	72.34				minutes face-to-face with the patient;
90000	75.05	12.34				Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an office
						or outpatient facility, approximately 45 to 50
						minutes face-to-face with the patient; with medical
90807	80.31	78.00				evaluation and management services
70001	00.51	70.00				Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an office
						or outpatient facility, approximately 75 to 80
90808	112.82	108.51				minutes face-to-face with the patient;
	2.02					Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an office
						or outpatient facility, approximately 75 to 80
						minutes face-to-face with the patient; with medical
90809	116.48	113.83				evaluation and management services
						Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter,
						or other mechanisms of non-verbal communication,
						in an office or outpatient facility, approximately 20
90810	54.39	51.41				to 30 minutes face-to-face with the patient;

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter,
						or other mechanisms of non-verbal communication,
						in an office or outpatient facility, approximately 20
						to 30 minutes face-to-face with the patient; with
90811	60.81	57.17				medical evaluation and management services
						Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter,
						or other mechanisms of non-verbal communication,
						in an office or outpatient facility, approximately 45
90812	81.68	76.72				to 50 minutes face-to-face with the patient;
						Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter,
						or other mechanisms of non-verbal communication,
						in an office or outpatient facility, approximately 45
						to 50 minutes face-to-face with the patient; with
90813	85.68	82.37				medical evaluation and management services
						Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter,
						or other mechanisms of non-verbal communication,
						in an office or outpatient facility, approximately 75
90814	118.18	114.21				to 80 minutes face-to-face with the patient;
, , , , ,	110110	11				Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter,
						or other mechanisms of non-verbal communication,
						in an office or outpatient facility, approximately 75
						to 80 minutes face-to-face with the patient; with
90815	121.19	117.88				medical evaluation and management services
70010	121113	117,100				Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an
						inpatient hospital, partial hospital or residential care
						setting, approximately 20 to 30 minutes face-to-
90816			50.57			face with the patient;
						Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an
						inpatient hospital, partial hospital or residential care
						setting, approximately 20 to 30 minutes face-to-
						face with the patient; with medical evaluation and
90817			55.00			management services
						Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an
						inpatient hospital, partial hospital or residential care
						setting, approximately 45 to 50 minutes face-to-
90818			76.15			face with the patient;
			. 0.12			Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an
						inpatient hospital, partial hospital or residential care
						setting, approximately 45 to 50 minutes face-to-
						face with the patient; with medical evaluation and
90819			79.49			management services

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an
						inpatient hospital, partial hospital or residential care
						setting, approximately 75 to 80 minutes face-to-
90821			113.26			face with the patient;
						Individual psychotherapy, insight oriented,
						behavior modifying and/or supportive, in an
						inpatient hospital, partial hospital or residential care
						setting, approximately 75 to 80 minutes face-to-
						face with the patient; with medical evaluation and
90822			116.16			management services
70022			110110			Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter,
						or other mechanisms of non-verbal communication,
						in an inpatient hospital, partial hospital or
						residential care setting, approximately 20 to 30
90823			54.28			minutes face-to-face with the patient;
70023			34.20			Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter,
						or other mechanisms of non-verbal communication,
						in an inpatient hospital, partial hospital or
						residential care setting, approximately 20 to 30
						minutes face-to-face with the patient; with medical
90824			59.27			evaluation and management services
90824			39.21			Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter,
						or other mechanisms of non-verbal communication,
						in an inpatient hospital, partial hospital or
						residential care setting, approximately 45 to 50
90826			80.70			• 11
90820			80.70			minutes face-to-face with the patient;
						Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication,
						· ·
						in an inpatient hospital, partial hospital or
						residential care setting, approximately 45 to 50
90827			83.53			minutes face-to-face with the patient; with medical
90827			65.55			evaluation and management services
						Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter, or other mechanisms of non-verbal communication,
						· · · · · · · · · · · · · · · · · · ·
						in an inpatient hospital, partial hospital or
00020			117.07			residential care setting, approximately 75 to 80
90828			117.97			minutes face-to-face with the patient;
						Individual psychotherapy, interactive, using play
						equipment, physical devices, language interpreter,
						or other mechanisms of non-verbal communication,
						in an inpatient hospital, partial hospital or
						residential care setting, approximately 75 to 80
00020			110.00			minutes face-to-face with the patient; with medical
90829			119.98			evaluation and management services
90845	69.74	68.74				Psychoanalysis
90846			73.16			Family psychotherapy (without the patient present)

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
Code	NFAC	FAC	ree	ГСТЕЕ	ТСТЕЕ	Family psychotherapy (conjoint psychotherapy)
90847	89.55	87.57				(with patient present)
90849	25.75	24.76				Multiple-family group psychotherapy
						Group psychotherapy (other than of a multiple-
90853	24.86	24.20				family group)
90857	27.30	25.97				Interactive group psychotherapy
						Pharmacologic management, including
						prescription, use, and review of medication with no
90862	40.04	37.39				more than minimal medical psychotherapy
						Narcosynthesis for psychiatric diagnostic and
00065	106.45	444.55				therapeutic purposes (eg, sodium amobarbital
90865	126.47	111.57				(Amytal) interview)
00070	117.06	70.56				Electroconvulsive therapy (includes necessary
90870	117.26	72.56				monitoring)
						Individual psychophysiological therapy
						incorporating biofeedback training by any modality (face-to-face with the patient), with psychotherapy
						(eg, insight oriented, behavior modifying or
						supportive psychotherapy); approximately 20-30
90875	63.97	49.40				minutes
70073	05.71	12.10				Individual psychophysiological therapy
						incorporating biofeedback training by any modality
						(face-to-face with the patient), with psychotherapy
						(eg, insight oriented, behavior modifying or
						supportive psychotherapy); approximately 45-50
90876	92.21	77.98				minutes
90880	96.28	84.70				Hypnotherapy
						Environmental intervention for medical
						management purposes on a psychiatric patient's
90882			36.79			behalf with agencies, employers, or institutions
						Psychiatric evaluation of hospital records, other
						psychiatric reports, psychometric and/or projective
00007			20.60			tests, and other accumulated data for medical
90885			39.60			diagnostic purposes
						Interpretation or explanation of results of psychiatric, other medical examinations and
						procedures, or other accumulated data to family or
						other responsible persons, or advising them how to
90887	69.09	60.48				assist patient
70001	57.07	55.10				Preparation of report of patient's psychiatric status,
						history, treatment, or progress (other than for legal
						or consultative purposes) for other physicians,
90889			I.C.			agencies, or insurance carriers
90899			I.C.			Unlisted psychiatric service or procedure
90901	33.34	16.45				Biofeedback training by any modality
						Biofeedback training, perineal muscles, anorectal
						or urethral sphincter, including EMG and/or
90911	77.67	36.29				manometry

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						End-stage renal disease (ESRD) related services
						per full month; for patients under two years of age
						to include monitoring for the adequacy of nutrition,
00010			520.50			assessment of growth and development, and
90918			520.50			counseling of parents
						End-stage renal disease (ESRD) related services
						per full month; for patients between two and eleven
						years of age to include monitoring for the adequacy
00010			275.01			of nutrition, assessment of growth and
90919			375.81			development, and counseling of parents
						End-stage renal disease (ESRD) related services
						per full month; for patients between twelve and
						nineteen years of age to include monitoring for the
00020			220.07			adequacy of nutrition, assessment of growth and
90920			330.97			development, and counseling of parents
						End-stage renal disease (ESRD) related services
00001			207.02			per full month; for patients twenty years of age and
90921			207.93			over
						End-stage renal disease (ESRD) related services
00022			17 44			(less than full month), per day; for patients under
90922			17.44			two years of age
						End-stage renal disease (ESRD) related services
00000			12.20			(less than full month), per day; for patients between
90923			12.29			two and eleven years of age
						End-stage renal disease (ESRD) related services
						(less than full month), per day; for patients between
90924			10.85			twelve and nineteen years of age
						End-stage renal disease (ESRD) related services
			- 00			(less than full month), per day; for patients twenty
90925			7.03			years of age and over
						Hemodialysis procedure with single physician
90935			56.91			evaluation
						Hemodialysis procedure requiring repeated
						evaluation(s) with or without substantial revision of
90937			92.20			dialysis prescription
						Hemodialysis access flow study to determine blood
00040			1.0			flow in grafts and arteriovenous fistulae by an
90940			I.C.			indicator method
						Dialysis procedure other than hemodialysis (eg,
						peritoneal dialysis, hemofiltration, or other
00045			50.24			continuous renal replacement therapies), with
90945			59.24			single physician evaluation
						Dialysis procedure other than hemodialysis (eg,
						peritoneal dialysis, hemofiltration, or other
						continuous renal replacement therapies) requiring
90947			04.24			repeated physician evaluations, with or without
9094/			94.24			substantial revision of dialysis prescription
00000						Dialysis training, patient, including helper where
90989			I.C.			applicable, any mode, completed course
						Dialysis training, patient, including helper where
00000						applicable, any mode, course not completed, per
90993			I.C.			training session

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
00007			74.00			Hemoperfusion (eg, with activated charcoal or
90997			74.22			resin)
90999			I.C.			Unlisted dialysis procedure, inpatient or outpatient
						Esophageal intubation and collection of washings for cytology, including preparation of specimens
91000			32.07	29.19	2.87	(separate procedure)
71000			32.07	27.17	2.07	Esophageal motility (manometric study of the
91010			183.69	50.58	133.12	esophagus and/or gastroesophageal junction) study;
71010			100.00	20.20	100.12	Esophageal motility (manometric study of the
						esophagus and/or gastroesophageal junction) study;
91011			218.00	60.71	157.28	with mecholyl or similar stimulant
						Esophageal motility (manometric study of the
						esophagus and/or gastroesophageal junction) study;
91012			234.44	58.72	175.72	with acid perfusion studies
91020			192.83	57.72	135.10	Gastric motility (manometric) studies
91022			188.85	58.39	130.47	Duodenal motility (manometric) study
						Esophagus, acid perfusion (Bernstein) test for
91030			107.36	36.73	70.64	esophagitis
						Esophagus, gastroesophageal reflux test; with nasal
01024			202.41	20.50	162.01	catheter pH electrode(s) placement, recording,
91034			203.41	39.50	163.91	analysis and interpretation
						Esophagus, gastroesophageal reflux test; with
01025			105.24	62.00	241.27	mucosal attached telemetry pH electrode
91035			405.34	63.98	341.37	placement, recording, analysis and interpretation Esophageal function test, gastroesophageal reflux
						test with nasal catheter intraluminal impedance
						electrode(s) placement, recording, analysis and
91037			126.93	39.50	87.43	interpretation;
						Esophageal function test, gastroesophageal reflux
						test with nasal catheter intraluminal impedance
						electrode(s) placement, recording, analysis and
						interpretation; prolonged (greater than 1 hour, up to
91038			107.02	44.76	62.26	24 hours)
91040			399.08	39.50	359.58	Esophageal balloon distension provocation study
						Gastric analysis test with injection of stimulant of
01052			104.47	21.05	72.62	gastric secretion (eg, histamine, insulin,
91052			104.47	31.85	72.62	pentagastrin, calcium and secretin)
91055			125.31	26.12	90 10	Gastric intubation, washings, and preparing slides
				36.13	89.18	for cytology (separate procedure) Gastric saline load test
91060			78.82	17.79	61.04	Breath hydrogen test (eg, for detection of lactase
						deficiency, fructose intolerance, bacterial
91065			54.56	8.09	46.47	overgrowth, or oro-cecal gastrointestinal transit)
, , 1505			51.50	5.07	10.17	Intestinal bleeding tube, passage, positioning and
91100	124.22	40.79				monitoring
						Gastric intubation, and aspiration or lavage for
91105	80.79	13.91				treatment (eg, for ingested poisons)
						Gastrointestinal tract imaging, intraluminal (eg,
						capsule endoscopy), esophagus through ileum, with
91110			840.86	145.34	695.52	physician interpretation and report

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
Code	MIAC	TAC	ree	TC FEE	TCTEE	Rectal sensation, tone, and compliance test (ie,
91120			393.89	39.72	354.16	response to graded balloon distention)
91122			222.97	71.86	151.11	Anorectal manometry
91123			I.C.			Pulsed irrigation of fecal impaction
91132				20.83		Electrogastrography, diagnostic, transcutaneous;
91133				26.59		Electrogastrography, diagnostic, transcutaneous; with provocative testing
91299			I.C.			Unlisted diagnostic gastroenterology procedure
92002	56.97	36.11				Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; intermediate, new patient
92004	103.49	69.72				Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; comprehensive, new patient, one or more visits
92012	53.13	28.63				Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; intermediate, established patient
92014	77.86	46.74				Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; comprehensive, established patient, one or more visits
92015	60.09	15.73				Determination of refractive state
92018			106.32			Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic examination; complete
						Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic
92019			55.54			examination; limited
92020	21.74	15.78	42.00	20.19	14.70	Gonioscopy (separate procedure) Sensorimotor examination with multiple measurements of ocular deviation (eg, restrictive or paretic muscle with diplopia) with interpretation
92060			43.98	29.18	14.79	and report (separate procedure)
92065			28.26	15.45	12.81	Orthoptic and/or pleoptic training, with continuing medical direction and evaluation
92070	55.29	30.45				Fitting of contact lens for treatment of disease, including supply of lens
92081			41.55	15.17	26.38	Visual field examination, unilateral or bilateral, with interpretation and report; limited examination (eg, tangent screen, Autoplot, arc perimeter, or single stimulus level automated test, such as Octopus 3 or 7 equivalent)

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Visual field examination, unilateral or bilateral,
						with interpretation and report; intermediate
						examination (eg, at least 2 isopters on Goldmann
						perimeter, or semiquantitative, automated
						suprathreshold screening program, Humphrey
						suprathreshold automatic diagnostic test, Octopus
92082			53.37	18.72	34.66	program 33)
						Visual field examination, unilateral or bilateral,
						with interpretation and report; extended
						examination (eg, Goldmann visual fields with at
						least 3 isopters plotted and static determination
						within the central 30?, or quantitative, automated
						threshold perimetry, Octopus program G-1, 32 or
						42, Humphrey visual field analyzer full threshold
92083			61.66	21.37	40.29	programs 30-2, 24-2, or 30/60-2)
						Serial tonometry (separate procedure) with multiple
						measurements of intraocular pressure over an
						extended time period with interpretation and report,
						same day (eg, diurnal curve or medical treatment of
92100	70.66	37.88				acute elevation of intraocular pressure)
						Tonography with interpretation and report,
						recording indentation tonometer method or
92120	58.34	33.50				perilimbal suction method
92130	65.29	35.16				Tonography with water provocation
						Scanning computerized ophthalmic diagnostic
						imaging (eg, scanning laser) with interpretation and
92135			36.31	14.90	21.41	report, unilateral
						Ophthalmic biometry by partial coherence
						interferometry with intraocular lens power
92136			71.40	23.14	48.25	calculation
						Provocative tests for glaucoma, with interpretation
92140	46.87	21.04				and report, without tonography
	1					Ophthalmoscopy, extended, with retinal drawing
						(eg, for retinal detachment, melanoma), with
92225	18.05	16.06				interpretation and report; initial
						Ophthalmoscopy, extended, with retinal drawing
						(eg, for retinal detachment, melanoma), with
92226	16.33	14.01				interpretation and report; subsequent
						Fluorescein angioscopy with interpretation and
92230	67.74	23.71				report
32200	0717	201.1				Fluorescein angiography (includes multiframe
92235			111.00	35.16	75.84	imaging) with interpretation and report
14433			111.00	33.10	13.04	
02240			225 14	47.72	107 41	Indocyanine-green angiography (includes
92240			235.14	47.73	187.41	multiframe imaging) with interpretation and report
92250		2 = =	63.31	18.72	44.59	Fundus photography with interpretation and report
92260	14.38	8.75				Ophthalmodynamometry
						Needle oculoelectromyography, one or more
0.00						extraocular muscles, one or both eyes, with
92265			73.14	32.63	40.51	interpretation and report
92270			74.24	34.06	40.18	Electro-oculography with interpretation and report
92275	1		93.36	42.92	50.44	Electroretinography with interpretation and report

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Color vision examination, extended, eg,
92283			32.97	7.26	25.72	anomaloscope or equivalent
						Dark adaptation examination with interpretation
92284			69.68	9.53	60.15	and report
						External ocular photography with interpretation and
						report for documentation of medical progress (eg,
						close-up photography, slit lamp photography,
92285			38.77	8.75	30.02	goniophotography, stereo-photography)
						Special anterior segment photography with
						interpretation and report; with specular endothelial
92286			120.51	28.35	92.16	microscopy and cell count
						Special anterior segment photography with
						interpretation and report; with fluorescein
92287	102.04	33.17				angiography
						Prescription of optical and physical characteristics
						of and fitting of contact lens, with medical
						supervision of adaptation; corneal lens, both eyes,
92310	70.42	48.24				except for aphakia
						Prescription of optical and physical characteristics
						of and fitting of contact lens, with medical
00011	66.71	40.04				supervision of adaptation; corneal lens for aphakia,
92311	66.71	42.21				one eye
						Prescription of optical and physical characteristics
						of and fitting of contact lens, with medical
00212	71.27	50.17				supervision of adaptation; corneal lens for aphakia,
92312	71.37	52.17				both eyes
						Prescription of optical and physical characteristics
0.504.0	54.05					of and fitting of contact lens, with medical
92313	61.06	35.56				supervision of adaptation; corneoscleral lens
						Prescription of optical and physical characteristics
						of contact lens, with medical supervision of
						adaptation and direction of fitting by independent
00214	50.40	20.20				technician; corneal lens, both eyes except for
92314	50.48	28.30				aphakia
						Prescription of optical and physical characteristics of contact lens, with medical supervision of
						adaptation and direction of fitting by independent
92315	40.85	18.00				technician; corneal lens for aphakia, one eye
92313	40.83	10.00				Prescription of optical and physical characteristics
						of contact lens, with medical supervision of
						adaptation and direction of fitting by independent
92316	49.43	28.91				technician; corneal lens for aphakia, both eyes
72310	77.43	20.71				Prescription of optical and physical characteristics
						of contact lens, with medical supervision of
						adaptation and direction of fitting by independent
92317	43.82	17.67				technician; corneoscleral lens
72311	75.02	17.07				Modification of contact lens (separate procedure),
92325			13.47			with medical supervision of adaptation
92325						
	22.66	15 10	55.31			Replacement of contact lens
92340	33.66	15.12				Fitting of spectacles, except for aphakia; monofocal
92341	37.76	19.22				Fitting of spectacles, except for aphakia; bifocal

~ .	NT. 6	T. C	Global	D.C.F.		- · ·
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
00040	40.00	21.05				Fitting of spectacles, except for aphakia;
92342	40.08	21.87				multifocal, other than bifocal
00050	22.00	1.7.10				Fitting of spectacle prosthesis for aphakia;
92352	33.00	15.12				monofocal
						Fitting of spectacle prosthesis for aphakia;
92353	38.48	20.60				multifocal
						Fitting of spectacle mounted low vision aid; single
92354			296.57			element system
						Fitting of spectacle mounted low vision aid;
92355			143.91			telescopic or other compound lens system
						Prosthesis service for aphakia, temporary
92358			33.24			(disposable or loan, including materials)
92370	27.53	13.63				Repair and refitting spectacles; except for aphakia
						Repair and refitting spectacles; spectacle prosthesis
92371			20.98			for aphakia
92499			I.C.			Unlisted ophthalmological service or procedure
						Otolaryngologic examination under general
92502			79.74			anesthesia
						Binocular microscopy (separate diagnostic
92504	21.77	8.20				procedure)
						Evaluation of speech, language, voice,
92506	110.60	37.76				communication, and/or auditory processing
72300	110.00	27.70				Treatment of speech, language, voice,
						communication, and/or auditory processing
92507	51.62	22.48				disorder; individual
72307	31.02	22.10				Treatment of speech, language, voice,
						communication, and/or auditory processing
92508	24.32	11.41				disorder; group, 2 or more individuals
,2000	2.102					Nasopharyngoscopy with endoscope (separate
92511	133.89	49.79				procedure)
92512	53.44	21.66				Nasal function studies (eg, rhinomanometry)
72312	33.11	21.00				Facial nerve function studies (eg,
92516	51.88	19.43				electroneuronography)
72310	31.00	17.43				Laryngeal function studies (ie, aerodynamic testing
92520	38.36	34.38				and acoustic testing)
92320	36.30	34.30				Treatment of swallowing dysfunction and/or oral
92526	70.00	22.32				function for feeding
92531	70.00	22.32	I.C.			Spontaneous nystagmus, including gaze
						, ,
92532			I.C.			Positional nystagmus test
0.5.5.						Caloric vestibular test, each irrigation (binaural,
92533			I.C.			bithermal stimulation constitutes four tests)
92534			I.C.			Optokinetic nystagmus test
						Spontaneous nystagmus test, including gaze and
92541			46.09	17.83	28.26	fixation nystagmus, with recording
						Positional nystagmus test, minimum of 4 positions,
92542			47.57	14.67	32.89	with recording
		<u> </u>				Caloric vestibular test, each irrigation (binaural,
						bithermal stimulation constitutes four tests), with
92543			22.09	4.65	17.44	recording

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Optokinetic nystagmus test, bidirectional, foveal or
92544			37.68	11.41	26.27	peripheral stimulation, with recording
92545			33.54	10.24	23.29	Oscillating tracking test, with recording
92546			74.60	12.57	62.03	Sinusoidal vertical axis rotational testing
						Use of vertical electrodes (List separately in
92547			3.99			addition to code for primary procedure)
92548			92.05	22.92	69.13	Computerized dynamic posturography
92551			24.08			Screening test, pure tone, air only
92552			15.46			Pure tone audiometry (threshold); air only
92553			23.20			Pure tone audiometry (threshold); air and bone
92555			13.48			Speech audiometry threshold;
						Speech audiometry threshold; with speech
92556			20.22			recognition
						Comprehensive audiometry threshold evaluation
02557			42.00			and speech recognition (92553 and 92556
92557			42.09			combined)
92559			I.C.			Audiometric testing of groups
92560			I.C.			Bekesy audiometry; screening
92561			25.18			Bekesy audiometry; diagnostic
92562			14.47			Loudness balance test, alternate binaural or monaural
92563			13.48			
92564			16.68			Tone decay test
92565			14.14			Short increment sensitivity index (SISI)
92567			18.56			Stenger test, pure tone
92568			1			Tympanometry (impedance testing)
92569			13.48			Acoustic reflex testing; threshold
92569			14.47			Acoustic reflex testing; decay
			13.81			Filtered speech test
92572			3.20			Staggered spondaic word test
92573			12.48			Lombard test
92575			10.38			Sensorineural acuity level test
92576			15.69			Synthetic sentence identification test
92577			25.41			Stenger test, speech
92579			25.51			Visual reinforcement audiometry (VRA)
92582			25.51			Conditioning play audiometry
92583			31.26			Select picture audiometry
92584			86.81			Electrocochleography
						Auditory evoked potentials for evoked response
02595			96 21	21.40	64.72	audiometry and/or testing of the central nervous
92585	+		86.21	21.49	04.72	system; comprehensive Auditory evoked potentials for evoked response
						audiometry and/or testing of the central nervous
92586			64.72			system; limited
>2500			J-1.72			Evoked otoacoustic emissions; limited (single
						stimulus level, either transient or distortion
92587			51.65	5.82	45.84	products)

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Evoked otoacoustic emissions; comprehensive or
						diagnostic evaluation (comparison of transient
92588			67.00	15.50	51 50	and/or distortion product otoacoustic emissions at multiple levels and frequencies)
92596			67.09 20.88	13.30	51.58	· · · · · · · · · · · · · · · · · · ·
92390			20.88			Ear protector attenuation measurements
02507	90.47	20.42				Evaluation for use and/or fitting of voice prosthetic
92597	80.47	39.42				device to supplement oral speech
02601			117 70			Diagnostic analysis of cochlear implant, patient
92601			117.78			under 7 years of age; with programming
92602			90.70			Diagnostic analysis of cochlear implant, patient
92002			80.70			under 7 years of age; subsequent reprogramming
02602			70.75			Diagnostic analysis of cochlear implant, age 7
92603			72.75			years or older; with programming
02604			46.06			Diagnostic analysis of cochlear implant, age 7
92604			46.26			years or older; subsequent reprogramming Evaluation for prescription of non-speech-
						generating augmentative and alternative
92605			I.C.			communication device
72003			1.0.			Therapeutic service(s) for the use of non-speech-
						generating device, including programming and
92606			I.C.			modification
						Evaluation for prescription for speech-generating
						augmentative and alternative communication
92607			103.43			device, face-to-face with the patient; first hour
						Evaluation for prescription for speech-generating
						augmentative and alternative communication
						device, face-to-face with the patient; each
						additional 30 minutes (List separately in addition to
92608			19.33			code for primary procedure)
						Therapeutic services for the use of speech-
00.000			50.54			generating device, including programming and
92609			53.54			modification
02610			115.60			Evaluation of oral and pharyngeal swallowing
92610			115.69			function
92611			115 60			Motion fluoroscopic evaluation of swallowing
92011			115.69			function by cine or video recording
02612	107.16	57.07				Flexible fiberoptic endoscopic evaluation of
92612	127.16	57.97				swallowing by cine or video recording; Flexible fiberoptic endoscopic evaluation of
						swallowing by cine or video recording; physician
92613	34.05	33.72				interpretation and report only
72013	54.05	33.12				
92614	119.22	57.97				Flexible fiberoptic endoscopic evaluation, laryngeal sensory testing by cine or video recording;
72014	119.44	31.31				Flexible fiberoptic endoscopic evaluation, laryngeal
						sensory testing by cine or video recording;
92615			30.18			physician interpretation and report only
						Flexible fiberoptic endoscopic evaluation of
						swallowing and laryngeal sensory testing by cine or
92616	166.05	86.26				video recording;

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Flexible fiberoptic endoscopic evaluation of
						swallowing and laryngeal sensory testing by cine or
02617			27.60			video recording; physician interpretation and report
92617			37.60			only
02620			20.00			Evaluation of central auditory function, with report;
92620			39.09			initial 60 minutes
						Evaluation of central auditory function, with report;
92621			9.62			each additional 15 minutes
						Assessment of tinnitus (includes pitch, loudness
92625			38.43			matching, and masking)
						Evaluation of auditory rehabilitation status; first
92626			19.55			hour
						Evaluation of auditory rehabilitation status; each
						additional 15 minutes (List separately in addition to
92627			19.55			code for primary procedure)
92630			I.C.			Auditory rehabilitation; pre-lingual hearing loss
92633			I.C.			Auditory rehabilitation; post-lingual hearing loss
						Unlisted otorhinolaryngological service or
92700			I.C.			procedure
						Cardiopulmonary resuscitation (eg, in cardiac
92950	250.76	143.49				arrest)
92953			9.14			Temporary transcutaneous pacing
						Cardioversion, elective, electrical conversion of
92960	273.54	102.70				arrhythmia; external
						Cardioversion, elective, electrical conversion of
92961			202.98			arrhythmia; internal (separate procedure)
92970			136.02			Cardioassist-method of circulatory assist; internal
92971			78.57			Cardioassist-method of circulatory assist; external
						Percutaneous transluminal coronary thrombectomy
						(List separately in addition to code for primary
92973			138.82			procedure)
						Transcatheter placement of radiation delivery
						device for subsequent coronary intravascular
						brachytherapy (List separately in addition to code
92974			126.97			for primary procedure)
						Thrombolysis, coronary; by intracoronary infusion,
92975			305.34			including selective coronary angiography
92977			277.49			Thrombolysis, coronary; by intravenous infusion
						Intravascular ultrasound (coronary vessel or graft)
						during diagnostic evaluation and/or therapeutic
						intervention including imaging supervision,
						interpretation and report; initial vessel (List
						separately in addition to code for primary
92978			231.45	74.77	156.68	procedure)
						Intravascular ultrasound (coronary vessel or graft)
						during diagnostic evaluation and/or therapeutic
						intervention including imaging supervision,
						interpretation and report; each additional vessel
02070			120.00	50.00	70.06	(List separately in addition to code for primary
92979			138.88	59.82	79.06	procedure)

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
02080			625.02			Transcatheter placement of an intracoronary stent(s), percutaneous, with or without other
92980			635.02			Transcatheter placement of an intracoronary stent(s), percutaneous, with or without other therapeutic intervention, any method; each additional vessel (List separately in addition to
92981			175.83			code for primary procedure) Percutaneous transluminal coronary balloon
92982			471.27			angioplasty; single vessel
92984			125.47			Percutaneous transluminal coronary balloon angioplasty; each additional vessel (List separately in addition to code for primary procedure)
92986			1030.21			Percutaneous balloon valvuloplasty; aortic valve
92987			1069.87			Percutaneous balloon valvuloplasty; mitral valve
92990			832.04			Percutaneous balloon valvuloplasty; pulmonary valve
92992			I.C.			Atrial septectomy or septostomy; transvenous method, balloon (eg, Rashkind type) (includes cardiac catheterization)
92993			I.C.			Atrial septectomy or septostomy; blade method (Park septostomy) (includes cardiac catheterization)
92995			518.08			Percutaneous transluminal coronary atherectomy, by mechanical or other method, with or without balloon angioplasty; single vessel
						Percutaneous transluminal coronary atherectomy, by mechanical or other method, with or without balloon angioplasty; each additional vessel (List separately in addition to code for primary
92996			134.69			procedure)
92997			501.09			Percutaneous transluminal pulmonary artery balloon angioplasty; single vessel
92998			245.55			Percutaneous transluminal pulmonary artery balloon angioplasty; each additional vessel (List separately in addition to code for primary procedure)
						Electrocardiogram, routine ECG with at least 12
93000			22.27			leads; with interpretation and report Electrocardiogram, routine ECG with at least 12 leads; tracing only, without interpretation and
93005			15.35			report
93010			6.92			Electrocardiogram, routine ECG with at least 12 leads; interpretation and report only
93012			203.68			Telephonic transmission of post-symptom electrocardiogram rhythm strip(s), 24-hour attended monitoring, per 30 day period of time; tracing only
93014			21.16			Telephonic transmission of post-symptom electrocardiogram rhythm strip(s), 24-hour attended monitoring, per 30 day period of time; physician review with interpretation and report only

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Cardiovascular stress test using maximal or
						submaximal treadmill or bicycle exercise,
						continuous electrocardiographic monitoring, and/or
						pharmacological stress; with physician supervision,
93015			88.83			with interpretation and report
						Cardiovascular stress test using maximal or
						submaximal treadmill or bicycle exercise,
						continuous electrocardiographic monitoring, and/or
						pharmacological stress; physician supervision only,
93016			18.56			without interpretation and report
						Cardiovascular stress test using maximal or
						submaximal treadmill or bicycle exercise,
						continuous electrocardiographic monitoring, and/or
						pharmacological stress; tracing only, without
93017			58.09			interpretation and report
						Cardiovascular stress test using maximal or
						submaximal treadmill or bicycle exercise,
						continuous electrocardiographic monitoring, and/or
						pharmacological stress; interpretation and report
93018			12.19			only
93024			87.11	48.24	38.87	Ergonovine provocation test
						Microvolt T-wave alternans for assessment of
93025			275.89	31.07	244.82	ventricular arrhythmias
						Rhythm ECG, one to three leads; with
93040			11.51			interpretation and report
						Rhythm ECG, one to three leads; tracing only
93041			5.19			without interpretation and report
70011			5,125			Rhythm ECG, one to three leads; interpretation and
93042			6.32			report only
75012			0.52			Electrocardiographic monitoring for 24 hours by
						continuous original ECG waveform recording and
						storage, with visual superimposition scanning;
						includes recording, scanning analysis with report,
93224			139.65			physician review and interpretation
75221			157.05			Electrocardiographic monitoring for 24 hours by
						continuous original ECG waveform recording and
						storage, with visual superimposition scanning;
						recording (includes hook-up, recording, and
93225			42.85			disconnection)
			.2.55			Electrocardiographic monitoring for 24 hours by
						continuous original ECG waveform recording and
						storage, with visual superimposition scanning;
93226			75.64			
93227			21.16			
93226			75.64			scanning analysis with report Electrocardiographic monitoring for 24 hours by continuous original ECG waveform recording and storage, with visual superimposition scanning; physician review and interpretation

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Electrocardiographic monitoring for 24 hours by
						continuous original ECG waveform recording and
						storage without superimposition scanning utilizing
						a device capable of producing a full miniaturized
						printout; includes recording, microprocessor-based
						analysis with report, physician review and
93230			149.37			interpretation
						Electrocardiographic monitoring for 24 hours by
						continuous original ECG waveform recording and
						storage without superimposition scanning utilizing
						a device capable of producing a full miniaturized
						printout; recording (includes hook-up, recording,
93231			52.79			and disconnection)
93231	+		32.19			·
						Electrocardiographic monitoring for 24 hours by
						continuous original ECG waveform recording and
						storage without superimposition scanning utilizing
02222						a device capable of producing a full miniaturized
93232			75.42			printout; microprocessor-based analysis with report
						Electrocardiographic monitoring for 24 hours by
						continuous original ECG waveform recording and
						storage without superimposition scanning utilizing
						a device capable of producing a full miniaturized
93233			21.16			printout; physician review and interpretation
						Electrocardiographic monitoring for 24 hours by
						continuous computerized monitoring and non-
						continuous recording, and real-time data analysis
						utilizing a device capable of producing intermittent
						full-sized waveform tracings, possibly patient
						activated; includes monitoring and real-time data
						analysis with report, physician review and
93235			108.44			interpretation
						Electrocardiographic monitoring for 24 hours by
						continuous computerized monitoring and non-
						continuous recording, and real-time data analysis
						utilizing a device capable of producing intermittent
						full-sized waveform tracings, possibly patient
						activated; monitoring and real-time data analysis
93236			90.21			with report
75250			70.21			Electrocardiographic monitoring for 24 hours by
						continuous computerized monitoring and non-
						continuous recording, and real-time data analysis
						utilizing a device capable of producing intermittent
						full-sized waveform tracings, possibly patient
93237			18.22			
73231			10.22			activated; physician review and interpretation
						Patient demand single or multiple event recording
						with presymptom memory loop, 24-hour attended
02260			267.60			monitoring, per 30 day period of time; includes
93268			267.68			transmission, physician review and interpretation
						Patient demand single or multiple event recording
						with presymptom memory loop, 24-hour attended
						monitoring, per 30 day period of time; recording
93270			42.85			(includes hook-up, recording, and disconnection)

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Patient demand single or multiple event recording
						with presymptom memory loop, 24-hour attended
02271			202.60			monitoring, per 30 day period of time; monitoring,
93271			203.68			receipt of transmissions, and analysis
						Patient demand single or multiple event recording
						with presymptom memory loop, 24-hour attended
02272			21.16			monitoring, per 30 day period of time; physician
93272			21.16			review and interpretation only
02279			51.01	10.47	40.54	Signal-averaged electrocardiography (SAECG),
93278			51.01	10.47	40.54	with or without ECG
02202			106.10	50 0 4	100.00	Transthoracic echocardiography for congenital
93303			186.12	52.84	133.28	cardiac anomalies; complete
						Transthoracic echocardiography for congenital
93304			97.99	30.52	67.47	cardiac anomalies; follow-up or limited study
						Echocardiography, transthoracic, real-time with
						image documentation (2D) with or without M-
93307			171.06	37.77	133.28	mode recording; complete
						Echocardiography, transthoracic, real-time with
						image documentation (2D) with or without M-
93308			89.24	21.77	67.47	mode recording; follow-up or limited study
						Echocardiography, transesophageal, real time with
						image documentation (2D) (with or without M-
						mode recording); including probe placement, image
93312			220.94	88.96	131.98	acquisition, interpretation and report
						Echocardiography, transesophageal, real time with
						image documentation (2D) (with or without M-
						mode recording); placement of transesophageal
93313			34.64			probe only
						Echocardiography, transesophageal, real time with
						image documentation (2D) (with or without M-
						mode recording); image acquisition, interpretation
93314			183.10	51.12	131.98	and report only
						Transesophageal echocardiography for congenital
						cardiac anomalies; including probe placement,
93315			236.39	112.55	120.86	image acquisition, interpretation and report
						Transesophageal echocardiography for congenital
						cardiac anomalies; placement of transesophageal
93316			35.41			probe only
						Transesophageal echocardiography for congenital
						cardiac anomalies; image acquisition, interpretation
93317			196.44	74.72	120.86	and report only
						Echocardiography, transesophageal (TEE) for
						monitoring purposes, including probe placement,
						real time 2-dimensional image acquisition and
						interpretation leading to ongoing (continuous)
						assessment of (dynamically changing) cardiac
						pumping function and to therapeutic measures on
93318				80.04		an immediate time basis

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
Code	NEAC	TAC	ree	TC Fee	TC Fee	Doppler echocardiography, pulsed wave and/or
						continuous wave with spectral display (List
						separately in addition to codes for
93320			75.03	15.73	59.30	echocardiographic imaging); complete
93320	+		15.05	13.73	39.30	Doppler echocardiography, pulsed wave and/or
						continuous wave with spectral display (List
						separately in addition to codes for
						echocardiographic imaging); follow-up or limited study (List separately in addition to codes for
93321			44.91	6.37	38.54	
93321			44.91	0.57	30.34	echocardiographic imaging)
						Doppler echocardiography color flow velocity
02225			104.21	2.16	101.05	mapping (List separately in addition to codes for
93325			104.21	3.16	101.05	echocardiography)
						Echocardiography, transthoracic, real-time with
						image documentation (2D), with or without M-
						mode recording, during rest and cardiovascular
						stress test using treadmill, bicycle exercise and/or
						pharmacologically induced stress, with
93350			122.55	61.03	61.51	interpretation and report
93501			711.24	126.53	584.72	Right heart catheterization
						Insertion and placement of flow directed catheter
93503			107.69			(eg, Swan-Ganz) for monitoring purposes
93505			253.00	183.53	69.47	Endomyocardial biopsy
						Catheter placement in coronary artery(s), arterial
						coronary conduit(s), and/or venous coronary bypass
						graft(s) for coronary angiography without
93508			621.95	188.89	433.06	concomitant left heart catheterization
						Left heart catheterization, retrograde, from the
						brachial artery, axillary artery or femoral artery;
93510			1477.46	198.70	1278.76	percutaneous
						Left heart catheterization, retrograde, from the
						brachial artery, axillary artery or femoral artery; by
93511			1472.58	228.17	1244.41	cutdown
						Left heart catheterization by left ventricular
93514			1550.83	309.84	1240.99	puncture
						Combined transseptal and retrograde left heart
93524			1935.33	308.49	1626.83	catheterization
						Combined right heart catheterization and retrograde
93526			1940.17	268.61	1671.56	left heart catheterization
						Combined right heart catheterization and
						transseptal left heart catheterization through intact
						septum (with or without retrograde left heart
93527			1949.78	322.95	1626.83	catheterization)
						Combined right heart catheterization with left
						ventricular puncture (with or without retrograde left
93528			2023.79	396.95	1626.83	heart catheterization)
						Combined right heart catheterization and left heart
						catheterization through existing septal opening
						(with or without retrograde left heart
93529			1842.55	215.71	1626.83	catheterization)

Codo	NIEAC	FAC	Global Fee	PC Fee	TC Foo	Description
Code	NFAC	FAC	ree	rcree	TC Fee	Description Right heart catheterization, for congenital cardiac
93530			772.47	187.75	584.72	anomalies
						Combined right heart catheterization and retrograde
						left heart catheterization, for congenital cardiac
93531			2034.69	363.13	1671.56	anomalies
						Combined right heart catheterization and
						transseptal left heart catheterization through intact
93532			2033.72	433.54	1601.27	septum with or without retrograde left heart catheterization, for congenital cardiac anomalies
75552			2033.12	733.37	1001.27	Combined right heart catheterization and
						transseptal left heart catheterization through
						existing septal opening, with or without retrograde
						left heart catheterization, for congenital cardiac
93533			1888.99	288.76	1601.27	anomalies
						Injection procedure during cardiac catheterization;
						for selective opacification of arterial conduits (eg, internal mammary), whether native or used for
93539			16.61			bypass
						Injection procedure during cardiac catheterization;
						for selective opacification of aortocoronary venous
93540			17.78			bypass grafts, one or more coronary arteries
						Injection procedure during cardiac catheterization;
93541			11.91			for pulmonary angiography
						Injection procedure during cardiac catheterization;
02542			11.01			for selective right ventricular or right atrial
93542			11.91			angiography Injection procedure during cardiac catheterization;
						for selective left ventricular or left atrial
93543			11.91			angiography
						Injection procedure during cardiac catheterization;
93544			10.47			for aortography
						Injection procedure during cardiac catheterization;
						for selective coronary angiography (injection of
93545			16.61			radiopaque material may be by hand)
						Imaging supervision, interpretation and report for injection procedure(s) during cardiac
						catheterization; ventricular and/or atrial
93555			249.60	33.73	215.87	angiography
						Imaging supervision, interpretation and report for
						injection procedure(s) during cardiac
						catheterization; pulmonary angiography,
						aortography, and/or selective coronary angiography
93556			374.15	34.28	339.86	including venous bypass grafts and arterial conduits (whether native or used in bypass)
22230			3/4.13	34.20	339.00	Indicator dilution studies such as dye or thermal
						dilution, including arterial and/or venous
						catheterization; with cardiac output measurement
93561			38.17	19.61	18.56	(separate procedure)

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Indicator dilution studies such as dye or thermal
						dilution, including arterial and/or venous
						catheterization; subsequent measurement of cardiac
93562			17.81	6.32	11.49	output
						Intravascular Doppler velocity and/or pressure
						derived coronary flow reserve measurement
						(coronary vessel or graft) during coronary
						angiography including pharmacologically induced stress; initial vessel (List separately in addition to
93571			230.46	73.77	156.68	code for primary procedure)
93371			230.40	13.11	130.06	Intravascular Doppler velocity and/or pressure
						derived coronary flow reserve measurement
						(coronary vessel or graft) during coronary
						angiography including pharmacologically induced
						stress; each additional vessel (List separately in
93572			135.28	57.38	77.74	addition to code for primary procedure)
*						Percutaneous transcatheter closure of congenital
						interatrial communication (ie, Fontan fenestration,
93580			771.34			atrial septal defect) with implant
						Percutaneous transcatheter closure of a congenital
93581			1026.56			ventricular septal defect with implant
93600			157.66	89.85	67.81	Bundle of His recording
93602			128.07	89.75	38.32	Intra-atrial recording
93603			147.73	89.64	58.09	Right ventricular recording
75005			147.73	07.04	30.07	Intraventricular and/or intra-atrial mapping of
						tachycardia site(s) with catheter manipulation to
						record from multiple sites to identify origin of
						tachycardia (List separately in addition to code for
93609			305.31	211.11	94.20	primary procedure)
93610			174.47	127.53	46.94	Intra-atrial pacing
93612			183.52	127.76	55.77	Intraventricular pacing
						Intracardiac electrophysiologic 3-dimensional
						mapping (List separately in addition to code for
93613			296.53			primary procedure)
						Esophageal recording of atrial electrogram with or
93615			48.11	37.07	11.04	without ventricular electrogram(s);
						Esophageal recording of atrial electrogram with or
93616			68.45	57.57	10.91	without ventricular electrogram(s); with pacing
93618			316.69	179.87	136.82	Induction of arrhythmia by electrical pacing
						Comprehensive electrophysiologic evaluation with
						right atrial pacing and recording, right ventricular
						pacing and recording, His bundle recording,
						including insertion and repositioning of multiple
02610			505.00	210.76	266.12	electrode catheters, without induction or attempted
93619			585.89	319.76	266.13	induction of arrhythmia
						Comprehensive electrophysiologic evaluation
						including insertion and repositioning of multiple
						electrode catheters with induction or attempted induction of arrhythmia; with right atrial pacing
						and recording, right ventricular pacing and
93620			775.53	499.35	283.73	recording, His bundle recording
JJ020	1		113.33	422.33	203.13	recording, this buildic recording

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Comprehensive electrophysiologic evaluation
						including insertion and repositioning of multiple
						electrode catheters with induction or attempted
						induction of arrhythmia; with left atrial pacing and
						recording from coronary sinus or left atrium (List
02621				00.75		separately in addition to code for primary
93621				88.75		procedure)
						Comprehensive electrophysiologic evaluation
						including insertion and repositioning of multiple
						electrode catheters with induction or attempted
						induction of arrhythmia; with left ventricular
02622				120.06		pacing and recording (List separately in addition to
93622				130.96		code for primary procedure)
						Programmed stimulation and pacing after
02622				120.27		intravenous drug infusion (List separately in
93623				120.27		addition to code for primary procedure)
						Electrophysiologic follow-up study with pacing and
						recording to test effectiveness of therapy, including
93624			282.14	213.34	68.80	induction or attempted induction of arrhythmia
						Intra-operative epicardial and endocardial pacing
						and mapping to localize the site of tachycardia or
93631			536.13	324.26	214.83	zone of slow conduction for surgical correction
						Electrophysiologic evaluation of single or dual
						chamber pacing cardioverter-defibrillator leads
						including defibrillation threshold evaluation
						(induction of arrhythmia, evaluation of sensing and
						pacing for arrhythmia termination) at time of initial
93640			395.20	147.74	247.46	implantation or replacement;
						Electrophysiologic evaluation of single or dual
						chamber pacing cardioverter-defibrillator leads
						including defibrillation threshold evaluation
						(induction of arrhythmia, evaluation of sensing and
						pacing for arrhythmia termination) at time of initial
						implantation or replacement; with testing of single
00641			407.62	250 15	247.46	or dual chamber pacing cardioverter-defibrillator
93641			497.63	250.17	247.46	pulse generator
						Electrophysiologic evaluation of single or dual
						chamber pacing cardioverter-defibrillator (includes
						defibrillation threshold evaluation, induction of
						arrhythmia, evaluation of sensing and pacing for
						arrhythmia termination, and programming or
93642			459.65	212.19	247.46	reprogramming of sensing or therapeutic parameters)
930 4 2			4,37,03	212.19	247.40	Intracardiac catheter ablation of atrioventricular
						node function, atrioventricular conduction for
						creation of complete heart block, with or without
93650			454.26			temporary pacemaker placement
75050			154.20			Intracardiac catheter ablation of arrhythmogenic
						focus; for treatment of supraventricular tachycardia
						by ablation of fast or slow atrioventricular
						pathways, accessory atrioventricular connections or
93651			685.30			other atrial foci, singly or in combination

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Intracardiac catheter ablation of arrhythmogenic
93652			745.46			focus; for treatment of ventricular tachycardia
						Evaluation of cardiovascular function with tilt table
						evaluation, with continuous ECG monitoring and
						intermittent blood pressure monitoring, with or
93660			134.33	78.26	56.07	without pharmacological intervention
						Intracardiac echocardiography during
						therapeutic/diagnostic intervention, including
						imaging supervision and interpretation (List
						separately in addition to code for primary
93662				116.41		procedure)
0.0.660						Peripheral arterial disease (PAD) rehabilitation, per
93668			I.C.			session
93701			37.61	7.26	30.35	Bioimpedance, thoracic, electrical
						Plethysmography, total body; with interpretation
93720			31.45			and report
						Plethysmography, total body; tracing only, without
93721			24.85			interpretation and report
						Plethysmography, total body; interpretation and
93722			6.59			report only
						Electronic analysis of antitachycardia pacemaker
						system (includes electrocardiographic recording,
						programming of device, induction and termination
00704			220.07	202.26	126.02	of tachycardia via implanted pacemaker, and
93724	1		339.07	202.26	136.82	interpretation of recordings)
						Electronic analysis of implantable loop recorder
						(ILR) system (includes retrieval of recorded and stored ECG data, physician review and
						interpretation of retrieved ECG data and
93727			21.49			reprogramming)
93121			21.49			Electronic analysis of dual-chamber pacemaker
						system (includes evaluation of programmable
						parameters at rest and during activity where
						applicable, using electrocardiographic recording
						and interpretation of recordings at rest and during
						exercise, analysis of event markers and device
93731			35.45	18.33	17.12	response); without reprogramming
_						Electronic analysis of dual-chamber pacemaker
						system (includes evaluation of programmable
						parameters at rest and during activity where
						applicable, using electrocardiographic recording
						and interpretation of recordings at rest and during
						exercise, analysis of event markers and device
93732			55.55	37.77	17.78	response); with reprogramming
						Electronic analysis of dual chamber internal
						pacemaker system (may include rate, pulse
						amplitude and duration, configuration of wave
						form, and/or testing of sensory function of
93733			32.77	7.26	25.51	pacemaker), telephonic analysis

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Electronic analysis of single chamber pacemaker
						system (includes evaluation of programmable
						parameters at rest and during activity where
						applicable, using electrocardiographic recording
						and interpretation of recordings at rest and during
						exercise, analysis of event markers and device
93734			27.76	15.73	12.04	response); without reprogramming
						Electronic analysis of single chamber pacemaker
						system (includes evaluation of programmable
						parameters at rest and during activity where
						applicable, using electrocardiographic recording
						and interpretation of recordings at rest and during
						exercise, analysis of event markers and device
93735			45.70	30.24	15.46	response); with reprogramming
						Electronic analysis of single chamber internal
						pacemaker system (may include rate, pulse
						amplitude and duration, configuration of wave
						form, and/or testing of sensory function of
93736			28.57	6.37	22.20	pacemaker), telephonic analysis
93740			11.18	5.99	5.19	Temperature gradient studies
						Electronic analysis of pacing cardioverter-
						defibrillator (includes interrogation, evaluation of
						pulse generator status, evaluation of programmable
						parameters at rest and during activity where
						applicable, using electrocardiographic recording
						and interpretation of recordings at rest and during
						exercise, analysis of event markers and device
						response); single chamber or wearable cardioverter-
93741			56.20	33.12	23.08	defibrillator system, without reprogramming
						Electronic analysis of pacing cardioverter-
						defibrillator (includes interrogation, evaluation of
						pulse generator status, evaluation of programmable
						parameters at rest and during activity where
						applicable, using electrocardiographic recording
						and interpretation of recordings at rest and during
						exercise, analysis of event markers and device
						response); single chamber or wearable cardioverter-
93742			60.91	37.83	23.08	defibrillator system, with reprogramming
						Electronic analysis of pacing cardioverter-
						defibrillator (includes interrogation, evaluation of
						pulse generator status, evaluation of programmable
						parameters at rest and during activity where
						applicable, using electrocardiographic recording
						and interpretation of recordings at rest and during
						exercise, analysis of event markers and device
93743			67.54	42.48	25.07	response); dual chamber, without reprogramming

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Electronic analysis of pacing cardioverter-
						defibrillator (includes interrogation, evaluation of
						pulse generator status, evaluation of programmable
						parameters at rest and during activity where
						applicable, using electrocardiographic recording
						and interpretation of recordings at rest and during
						exercise, analysis of event markers and device
93744			71.93	48.85	23.08	response); dual chamber, with reprogramming
						Initial set-up and programming by a physician of
						wearable cardioverter-defibrillator includes initial
						programming of system, establishing baseline
						electronic ECG, transmission of data to data
						repository, patient instruction in wearing system
93745			I.C.			and patient reporting of problems or events
93760			I.C.			Thermogram; cephalic
93762			I.C.			Thermogram; peripheral
93770			7.53	6.32	1.22	Determination of venous pressure
						Ambulatory blood pressure monitoring, utilizing a
						system such as magnetic tape and/or computer disk,
						for 24 hours or longer; including recording,
93784			62.53			scanning analysis, interpretation and report
						Ambulatory blood pressure monitoring, utilizing a
						system such as magnetic tape and/or computer disk,
93786			30.35			for 24 hours or longer; recording only
						Ambulatory blood pressure monitoring, utilizing a
						system such as magnetic tape and/or computer disk,
						for 24 hours or longer; scanning analysis with
93788			17.11			report
						Ambulatory blood pressure monitoring, utilizing a
						system such as magnetic tape and/or computer disk,
02700			15.07			for 24 hours or longer; physician review with
93790			15.07			interpretation and report
						Physician services for outpatient cardiac rehabilitation; without continuous ECG monitoring
93797	15.15	7.53				(per session)
93191	13.13	1.33				Physician services for outpatient cardiac
						rehabilitation; with continuous ECG monitoring
93798	23.22	11.63				(per session)
93799	28.22	11.00	I.C.			Unlisted cardiovascular service or procedure
10111			1.0.			Non-invasive physiologic studies of extracranial
						arteries, complete bilateral study (eg, periorbital
						flow direction with arterial compression, ocular
						pneumoplethysmography, Doppler ultrasound
93875			86.26	8.97	77.29	spectral analysis)
						Duplex scan of extracranial arteries; complete
93880			209.79	24.16	185.63	bilateral study
						Duplex scan of extracranial arteries; unilateral or
93882			133.13	16.62	116.51	limited study
						Transcranial Doppler study of the intracranial
93886			259.96	39.66	220.30	arteries; complete study

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
02000			165.07	25.02	120.15	Transcranial Doppler study of the intracranial
93888			165.07	25.93	139.15	arteries; limited study
02000			200.20	40.00	150.06	Transcranial Doppler study of the intracranial
93890			200.38	42.32	158.06	arteries; vasoreactivity study
						Transcranial Doppler study of the intracranial
02002			212.14	10.16	16460	arteries; emboli detection without intravenous
93892			213.14	48.46	164.68	microbubble injection Transcranial Doppler study of the intracranial
						arteries; emboli detection with intravenous
93893			208.84	48.46	160.38	microbubble injection
73073			200.04	40.40	100.56	Non-invasive physiologic studies of upper or lower
						extremity arteries, single level, bilateral (eg,
						ankle/brachial indices, Doppler waveform analysis,
						volume plethysmography, transcutaneous oxygen
93922			99.36	10.03	89.33	tension measurement)
73722			77.50	10.03	07.55	Non-invasive physiologic studies of upper or lower
						extremity arteries, multiple levels or with
						provocative functional maneuvers, complete
						bilateral study (eg, segmental blood pressure
						measurements, segmental Doppler waveform
						analysis, segmental volume plethysmography,
						segmental transcutaneous oxygen tension
						measurements, measurements with postural
						provocative tests, measurements with reactive
93923			152.06	18.34	133.72	hyperemia)
						Non-invasive physiologic studies of lower
						extremity arteries, at rest and following treadmill
93924			179.51	20.61	158.89	stress testing, complete bilateral study
						Duplex scan of lower extremity arteries or arterial
93925			249.96	23.60	226.36	bypass grafts; complete bilateral study
						Duplex scan of lower extremity arteries or arterial
93926			151.29	16.02	135.27	bypass grafts; unilateral or limited study
						Duplex scan of upper extremity arteries or arterial
93930			199.74	18.95	180.79	bypass grafts; complete bilateral study
						Duplex scan of upper extremity arteries or arterial
93931			130.20	12.58	117.62	bypass grafts; unilateral or limited study
						Non-invasive physiologic studies of extremity
						veins, complete bilateral study (eg, Doppler
						waveform analysis with responses to compression
						and other maneuvers, phleborheography,
93965			105.55	14.13	91.42	impedance plethysmography)
						Duplex scan of extremity veins including responses
						to compression and other maneuvers; complete
93970			203.31	27.82	175.50	bilateral study
						Duplex scan of extremity veins including responses
						to compression and other maneuvers; unilateral or
93971			138.39	18.12	120.27	limited study
						Duplex scan of arterial inflow and venous outflow
						of abdominal, pelvic, scrotal contents and/or
93975			315.74	72.69	243.05	retroperitoneal organs; complete study

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Duplex scan of arterial inflow and venous outflow
						of abdominal, pelvic, scrotal contents and/or
93976			185.09	47.92	137.17	retroperitoneal organs; limited study
						Duplex scan of aorta, inferior vena cava, iliac
93978			177.31	26.65	150.66	vasculature, or bypass grafts; complete study
						Duplex scan of aorta, inferior vena cava, iliac
02050			10106	15.04	405.00	vasculature, or bypass grafts; unilateral or limited
93979			124.86	17.84	107.02	study
02000			100.77	50.00	00.72	Duplex scan of arterial inflow and venous outflow
93980			138.77	50.03	88.73	of penile vessels; complete study
02001			114.05	17.00	07.66	Duplex scan of arterial inflow and venous outflow
93981			114.95	17.28	97.66	of penile vessels; follow-up or limited study
02000			1.45.10	10.50	104.61	Duplex scan of hemodialysis access (including
93990			145.19	10.58	134.61	arterial inflow, body of access and venous outflow)
						Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate
						measurement(s), with or without maximal
94010			27.57	6.59	20.98	voluntary ventilation
7.010			27.67	0,000	20170	Patient-initiated spirometric recording per 30-day
						period of time; includes reinforced education,
						transmission of spirometric tracing, data capture,
						analysis of transmitted data, periodic recalibration
94014			40.25			and physician review and interpretation
						Patient-initiated spirometric recording per 30-day
						period of time; recording (includes hook-up,
						reinforced education, data transmission, data
94015			19.76			capture, trend analysis, and periodic recalibration)
						Patient-initiated spirometric recording per 30-day
						period of time; physician review and interpretation
94016			20.50			only
						Bronchodilation responsiveness, spirometry as in
94060			45.59	11.80	33.79	94010, pre- and post-bronchodilator administration
						Bronchospasm provocation evaluation, multiple
						spirometric determinations as in 94010, with
94070			46.70	23.27	23.43	administered agents (eg, antigen(s), cold air, methacholine)
94070			17.95	3.16	14.79	Vital capacity, total (separate procedure)
2 1 130			11.93	3.10	14./9	Maximum breathing capacity, maximal voluntary
94200			18.29	4.27	14.02	ventilation
2.200			10.27	1.27	11.02	Functional residual capacity or residual volume:
						helium method, nitrogen open circuit method, or
94240			30.41	10.08	20.32	other method
						Expired gas collection, quantitative, single
94250			24.69	4.27	20.42	procedure (separate procedure)
94260			23.93	5.15	18.77	Thoracic gas volume
						Determination of maldistribution of inspired gas:
						multiple breath nitrogen washout curve including
94350			33.49	10.08	23.41	alveolar nitrogen or helium equilibration time
						Determination of resistance to airflow, oscillatory
94360			31.95	10.08	21.87	or plethysmographic methods

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Determination of airway closing volume, single
94370			31.72	10.08	21.64	breath tests
94375			29.13	11.80	17.33	Respiratory flow volume loop
94400			40.92	15.74	25.18	Breathing response to CO2 (CO2 response curve)
0.4450			40.12	15.51	24.62	Breathing response to hypoxia (hypoxia response
94450			40.13	15.51	24.62	curve)
0.4452			12.26	12.02	21.24	High altitude simulation test (HAST), with
94452			43.26	12.02	31.24	physician interpretation and report;
						High altitude simulation test (HAST), with physician interpretation and report; with
94453			61.98	15.51	46.47	supplemental oxygen titration
77733			01.70	13.31	70.77	Pulmonary stress testing; simple (eg, prolonged
						exercise test for bronchospasm with pre- and post-
94620			103.43	25.04	78.39	spirometry)
						Pulmonary stress testing; complex (including
						measurements of CO2 production, O2 uptake, and
94621			116.13	55.29	60.84	electrocardiographic recordings)
						Pressurized or nonpressurized inhalation treatment
						for acute airway obstruction or for sputum
						induction for diagnostic purposes (eg, with an
						aerosol generator, nebulizer, metered dose inhaler
0.4.6.4.0			10.20			or intermittent positive pressure breathing (IPPB)
94640			10.38			device)
						Aerosol inhalation of pentamidine for
94642			I.C.			pneumocystis carinii pneumonia treatment or prophylaxis
94042			I.C.			Ventilation assist and management, initiation of
						pressure or volume preset ventilators for assisted or
94656	73.58	45.77				controlled breathing; first day
7.020	70.00					Ventilation assist and management, initiation of
						pressure or volume preset ventilators for assisted or
94657	56.36	32.19				controlled breathing; subsequent days
						Continuous positive airway pressure ventilation
94660	43.49	29.59				(CPAP), initiation and management
						Continuous negative pressure ventilation (CNP),
94662			29.36			initiation and management
						Demonstration and/or evaluation of patient
						utilization of an aerosol generator, nebulizer,
94664			11.16			metered dose inhaler or IPPB device
						Manipulation chest wall, such as cupping,
						percussing, and vibration to facilitate lung function;
94667			18.34			initial demonstration and/or evaluation
						Manipulation chest wall, such as cupping,
04669			15.05			percussing, and vibration to facilitate lung function;
94668			15.35			subsequent
04600			70.60	10.00	(0.61	Oxygen uptake, expired gas analysis; rest and
94680	+		70.69	10.08	60.61	exercise, direct, simple
04691			00.00	7.76	04.47	Oxygen uptake, expired gas analysis; including
94681			92.22	7.76	84.47	CO2 output, percentage oxygen extracted
0.4600			60.20	2.00	66.45	Oxygen uptake, expired gas analysis; rest, indirect
94690			69.28	2.83	66.45	(separate procedure)

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Carbon monoxide diffusing capacity (eg, single
94720			41.89	10.08	31.80	breath, steady state)
94725			106.80	10.08	96.72	Membrane diffusion capacity
						Pulmonary compliance study (eg,
0.45.50			71. 06	0.00	42.04	plethysmography, volume and pressure
94750			51.86	8.92	42.94	measurements)
94760			1.77			Noninvasive ear or pulse oximetry for oxygen saturation; single determination
94761			3.66			Noninvasive ear or pulse oximetry for oxygen saturation; multiple determinations (eg, during exercise)
94701			3.00			Noninvasive ear or pulse oximetry for oxygen
94762			17.80			saturation; by continuous overnight monitoring (separate procedure)
						Carbon dioxide, expired gas determination by
94770			30.78	5.71	25.08	infrared analyzer
94772			I.C.			Circadian respiratory pattern recording (pediatric pneumogram), 12 to 24 hour continuous recording, infant
94799			I.C.			Unlisted pulmonary service or procedure
74177			1.0.			Percutaneous tests (scratch, puncture, prick) with
95004			3.53			allergenic extracts, immediate type reaction, specify number of tests
						Percutaneous tests (scratch, puncture, prick) sequential and incremental, with drugs, biologicals or venoms, immediate type reaction, specify
95010	14.98	6.37				number of tests
0.504.5	0.02	6 2 5				Intracutaneous (intradermal) tests, sequential and incremental, with drugs, biologicals, or venoms,
95015	9.02	6.37				immediate type reaction, specify number of tests
95024			5.19			Intracutaneous (intradermal) tests with allergenic extracts, immediate type reaction, specify number of tests
75024			5.17			Intracutaneous (intradermal) tests, sequential and
						incremental, with allergenic extracts for airborne allergens, immediate type reaction, specify number
95027			5.19			of tests
						Intracutaneous (intradermal) tests with allergenic
						extracts, delayed type reaction, including reading,
95028			7.84	<u> </u>		specify number of tests
						Patch or application test(s) (specify number of
95044			6.85			tests)
95052			8.50			Photo patch test(s) (specify number of tests)
95056			5.85			Photo tests
95060			12.04			Ophthalmic mucous membrane tests
95065			6.85			Direct nasal mucous membrane test
95070			76.27			Inhalation bronchial challenge testing (not including necessary pulmonary function tests); with histamine, methacholine, or similar compounds

Code				Global			
Inhalation bronchial challenge testing (not including necessary pulmonary function tests): with uniquens or gases, specify Ingestion challenge test (sequential and incremental ingestion of lest items, eg, food, drug or other substance such as metabisuffite) So	Code	NFAC	FAC		PC Fee	TC Fee	Description
95071 97.46 antigens or gases, specify Ingestion challenge test (sequential and incremental ingestion of test items, eg. food, drug or other substance such as metabisulfite) 95078 8.73 Professional services for allergeni immunotherapy not including provision of allergenic extract; single injection 95115 13.36 Professional services for allergen immunotherapy not including provision of allergenic extract; single injection 95117 17.00 Professional services for allergen immunotherapy not including provision of allergenic extract; step or more injections 95120 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single injection 95125 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections 95130 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venome 95131 I.C. States of the professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stanging insect venoms 95132 I.C. States of the professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stanging insect venoms 95133 I.C. States of the supervision of preparation and provision of allergenic extract; four stanging insect venoms 95134 I.C. States of the supervision of preparation and provision of antigens for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stanging insect venoms 95134 I.C. States of the supervision of preparation and provision of antigens for allergen immunotherapy single dose vial(s) (specify number of doses); single immunotherapy (specify number of doses); single							
Ingestion challenge test (sequential and incremental ingestion of test items, e.g., food, drug or other substance such as metabisulfite)							including necessary pulmonary function tests); with
Ingestion challenge test (sequential and incremental ingestion of test items, eg, food, drug or other substance such as metabisuffite)	95071			97.46			
95078 54.17 39.60 substance such as metabisulfite) 95078 8.73 Provocative testing (eg., Rinkel test) 95078 Professional services for allergen immunotherapy not including provision of allergenic extracts; single injection 95115 Professional services for allergenic extracts; single injection Professional services for allergenic extracts; two or more injections Professional services for allergenic extracts; two or more injections Professional services for allergenic extract; single injection Including provision of allergenic extract; single injection Professional services for allergenic extract; single injection Including provision of allergenic extract; single injection Professional services for allergenic extract; two or more injections Professional services for allergenic extract; two or more injections Professional services for allergenic extract; two or more injections Professional services for allergenic extract; two or more injections Professional services for allergenic extract; single stinging insect venom Including provision of allergenic extract; single stinging insect venoms Professional services for allergenic extract; two stinging insect venoms Professional services for allergenic extract; two stinging insect venoms Professional services for allergenic extract; four stinging insect venoms Professional services for allergenic extract; four stinging insect venoms Professional services for allergenic extract; four stinging insect venoms Professional services for allergenic extract; four stinging insect venoms Professional services for allergenic extract; four stinging insect venoms Professional services for allergenic extract; four stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergenic extract; four stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergenic immunotherapy (specify number of viass) unmer of viass) unmer of viass professional services for the supervision of prepar							
95078 S.4.17 39.60 Substance such as metabisulfite) 95078 Provocative testing (eg. Rinkel test) 9518 Professional services for allergen immunotherapy not including provision of allergenic extracts; single injection 95117 Professional services for allergen immunotherapy not including provision of allergenic extracts; two or more injections 95120 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single injection 95125 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections 95130 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections 95131 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venom 95131 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms 95132 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms 95133 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms 95134 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms 95134 I.C. Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) 95144 8.18 2.55 Professional services for the su							
95078 8.73 Provocative testing (eg. Rinkel test) Professional services for allergen immunotherapy not including provision of allergenic extracts; single injection Professional services for allergen immunotherapy not including provision of allergenic extracts; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single injection Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials)	95075	54.17	39.60				
Professional services for allergen immunotherapy not including provision of allergenic extracts; single injection 17.00 Professional services for allergen immunotherapy not including provision of allergenic extracts; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single injection Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single injection Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunother	-			8 73			,
95115 13.36 single injection Professional services for allergenic extracts; single injection Professional services for allergen immunotherapy not including provision of allergenic extracts; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single injection Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for the supervision of preparation and provision of allergen immunotherapy immunotherapy immunotherapy (specify	75070			0.75			
95115 13.36 single injection Professional services for allergen immunotherapy not including provision of allergenic extracts; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single injection Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy in prescribing physicians office or institution, including provision of antigens for allergen immunotherapy single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy specified immunoth							
Professional services for allergen immunotherapy not including provision of allergenic extracts; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single injection Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses), single	05115			13 36			
17.00 not including provision of allergenic extracts; two or more injections	93113			13.30			
95120 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single injection 95125 I.C. Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stringing insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stringing insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stringing insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stringing insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stringing insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stringing insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stringing insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials)							
Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single injection Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	05117			17.00			
in prescribing physicians office or institution, including provision of allergenic extract; single injection Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials)	95117			17.00			
Section of allergenic extract; single injection Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections							
95120 I.C. injection Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							1 01 0
Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							
in prescribing physicians office or institution, including provision of allergenic extract; two or more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	95120			I.C.			
Including provision of allergenic extract; two or more injections							
95130 I.C. more injections Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of vials)							
Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							including provision of allergenic extract; two or
in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	95125			I.C.			more injections
in prescribing physicians office or institution, including provision of allergenic extract; single stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							Professional services for allergen immunotherapy
Including provision of allergenic extract; single stinging insect venom							
95130 I.C. stinging insect venom Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							
Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	95130			LC.			
in prescribing physicians office or institution, including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							
including provision of allergenic extract; two stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							
95131 I.C. stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms I.C. stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms I.C. stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							
Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms I.C. stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms I.C. stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	95131			IC			
in prescribing physicians office or institution, including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	73131			1.0.			
including provision of allergenic extract; three stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms I.C. stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							
95132 I.C. stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms I.C. stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							
Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	05122			I.C			
in prescribing physicians office or institution, including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms I.C. stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	93132			1.C.			
including provision of allergenic extract; four stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							
95133 I.C. stinging insect venoms Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							1 01 0
Professional services for allergen immunotherapy in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	05122			1.0			
in prescribing physicians office or institution, including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	95133			1.C.			
including provision of allergenic extract; five stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							
95134 I.C. stinging insect venoms Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							1 01 0
Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							
preparation and provision of antigens for allergen immunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	95134			I.C.			
jimmunotherapy, single dose vial(s) (specify number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							
95144 8.18 2.55 number of vials) Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							preparation and provision of antigens for allergen
Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy (specify number of doses); single							immunotherapy, single dose vial(s) (specify
preparation and provision of antigens for allergen immunotherapy (specify number of doses); single	95144	8.18	2.55				number of vials)
immunotherapy (specify number of doses); single			<u> </u>				
immunotherapy (specify number of doses); single							preparation and provision of antigens for allergen
95145 12.48 2.55 stinging insect venom	95145	12.48	2.55				stinging insect venom

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Professional services for the supervision of
						preparation and provision of antigens for allergen
						immunotherapy (specify number of doses); two
95146	16.46	2.88				single stinging insect venoms
						Professional services for the supervision of
						preparation and provision of antigens for allergen
	4.5.50					immunotherapy (specify number of doses); three
95147	15.79	2.55				single stinging insect venoms
						Professional services for the supervision of
						preparation and provision of antigens for allergen
05140	21.00	2.00				immunotherapy (specify number of doses); four
95148	21.09	2.88				single stinging insect venoms
						Professional services for the supervision of
						preparation and provision of antigens for allergen
05140	20.27	2.00				immunotherapy (specify number of doses); five
95149	28.37	2.88				single stinging insect venoms
						Professional services for the supervision of
						preparation and provision of antigens for allergen
95165	8.18	2.55				immunotherapy; single or multiple antigens (specify number of doses)
93103	0.10	2.33				Professional services for the supervision of
						preparation and provision of antigens for allergen
						immunotherapy; whole body extract of biting insect
95170	6.19	2.88				or other arthropod (specify number of doses)
23170	0.17	2.00				Rapid desensitization procedure, each hour (eg,
95180	124.18	87.43				insulin, penicillin, equine serum)
23100	121.10	07.15				Unlisted allergy/clinical immunologic service or
95199			I.C.			procedure
						Ambulatory continuous glucose monitoring of
						interstitial tissue fluid via a subcutaneous sensor for
						up to 72 hours; sensor placement, hook-up,
						calibration of monitor, patient training, removal of
95250			136.30			sensor, and printout of recording
						Ambulatory continuous glucose monitoring of
						interstitial tissue fluid via a subcutaneous sensor for
95251			21.16			up to 72 hours; physician interpretation and report
						Multiple sleep latency or maintenance of
						wakefulness testing, recording, analysis and
						interpretation of physiological measurements of
95805			634.88	76.00	558.87	sleep during multiple trials to assess sleepiness
						Sleep study, simultaneous recording of ventilation,
						respiratory effort, ECG or heart rate, and oxygen
95806			165.35	65.70	99.65	saturation, unattended by a technologist
						Sleep study, simultaneous recording of ventilation,
						respiratory effort, ECG or heart rate, and oxygen
95807			450.56	65.37	385.19	saturation, attended by a technologist
						Polysomnography; sleep staging with 1-3
						additional parameters of sleep, attended by a
95808			523.84	106.86	416.98	technologist

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Polysomnography; sleep staging with 4 or more
						additional parameters of sleep, attended by a
95810			691.55	140.49	551.06	technologist
						Polysomnography; sleep staging with 4 or more
						additional parameters of sleep, with initiation of
05011			755.77	151 10	604.50	continuous positive airway pressure therapy or
95811			133.11	151.18	604.59	bilevel ventilation, attended by a technologist Electroencephalogram (EEG) extended monitoring;
95812			167.52	46.19	121.32	41-60 minutes
75012			107.52	40.17	121.32	Electroencephalogram (EEG) extended monitoring;
95813			218.99	73.17	145.82	greater than one hour
75015	1		210.77	73.17	143.02	Electroencephalogram (EEG); including recording
95816			156.70	46.52	110.17	awake and drowsy
93010			130.70	40.32	110.17	Electroencephalogram (EEG); including recording
95819			132.53	46.52	86.00	awake and asleep
93019			132.33	40.32	80.00	Electroencephalogram (EEG); recording in coma or
95822			186.84	46.52	140.31	sleep only
75022			100.04	40.52	140.51	Electroencephalogram (EEG); cerebral death
95824				31.68		evaluation only
95827			123.93	44.64	79.29	Electroencephalogram (EEG); all night recording
95829			1212.48	259.50	952.98	Electrocorticogram at surgery (separate procedure)
						Insertion by physician of sphenoidal electrodes for
95830	158.87	73.78				electroencephalographic (EEG) recording
						Muscle testing, manual (separate procedure) with
95831	23.22	12.29				report; extremity (excluding hand) or trunk
						Muscle testing, manual (separate procedure) with
						report; hand, with or without comparison with
95832	19.42	12.46				normal side
						Muscle testing, manual (separate procedure) with
95833	32.68	21.10				report; total evaluation of body, excluding hands
						Muscle testing, manual (separate procedure) with
95834	38.17	26.58				report; total evaluation of body, including hands
						Range of motion measurements and report
						(separate procedure); each extremity (excluding
95851	16.58	7.31				hand) or each trunk section (spine)
						Range of motion measurements and report
05050	11 00	4.02				(separate procedure); hand, with or without
95852	11.88	4.93				comparison with normal side
95857	35.01	22.76				Tensilon test for myasthenia gravis
05960			75.00	11 65	22.56	Needle electromyography; one extremity with or
95860			75.20	41.65	33.56	without related paraspinal areas
05961			02.20	66.70	25 51	Needle electromyography; two extremities with or without related paraspinal areas
95861			92.30	66.79	25.51	1 1
05962			110.02	90.26	22.47	Needle electromyography; three extremities with or
95863	+		112.83	80.36	32.47	without related paraspinal areas
05964			147.06	06.01	61.05	Needle electromyography; four extremities with or
95864			147.96	86.01	61.95	without related paraspinal areas
95865	1		94.01	70.82	23.19	Needle electromyography; larynx
95866			62.07	54.77	7.29	Needle electromyography; hemidiaphragm

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
95867			54.27	34.17	20.10	Needle electromyography; cranial nerve supplied muscle(s), unilateral
75001			34.27	54.17	20.10	Needle electromyography; cranial nerve supplied
95868			75.02	50.73	24.30	muscles, bilateral
95869			23.41	16.01	7.40	Needle electromyography; thoracic paraspinal muscles (excluding T1 or T12)
						Needle electromyography; limited study of muscles in one extremity or non-limb (axial) muscles (unilateral or bilateral), other than thoracic paraspinal, cranial nerve supplied muscles, or
95870			23.41	16.01	7.40	sphincters
95872			85.23	64.25	20.99	Needle electromyography using single fiber electrode, with quantitative measurement of jitter, blocking and/or fiber density, any/all sites of each muscle studied
95873			23.08	16.01	7.07	Electrical stimulation for guidance in conjunction with chemodenervation (List separately in addition to code for primary procedure)
05074			22.41	16.24	7.07	Needle electromyography for guidance in conjunction with chemodenervation (List separately in addition to code for primary
95874			23.41	16.34	7.07	procedure)
95875			80.98	47.19	33.79	Ischemic limb exercise test with serial specimen(s) acquisition for muscle(s) metabolite(s)
95900			54.26	18.05	36.21	Nerve conduction, amplitude and latency/velocity study, each nerve; motor, without F-wave study
95903			57.16	25.92	31.24	Nerve conduction, amplitude and latency/velocity study, each nerve; motor, with F-wave study
95904			46.41	14.84	31.57	Nerve conduction, amplitude and latency/velocity study, each nerve; sensory
93904			40.41	14.04	31.37	Intraoperative neurophysiology testing, per hour
95920			137.83	92.89	44.94	(List separately in addition to code for primary procedure)
95921			49.81	36.78	13.03	Testing of autonomic nervous system function; cardiovagal innervation (parasympathetic function), including two or more of the following: heart rate response to deep breathing with recorded R-R interval, Valsalva ratio, and 30:15 ratio
95922			54.01	40.99	13.03	Testing of autonomic nervous system function; vasomotor adrenergic innervation (sympathetic adrenergic function), including beat-to-beat blood pressure and R-R interval changes during Valsalva maneuver and at least five minutes of passive tilt
95923			90.76	38.66	52.10	Testing of autonomic nervous system function; sudomotor, including one or more of the following: quantitative sudomotor axon reflex test (QSART), silastic sweat imprint, thermoregulatory sweat test, and changes in sympathetic skin potential

G 1	NT. G	T. C	Global	DC F	TO F	- · ·
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Short-latency somatosensory evoked potential
						study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous
95925			54.63	23.15	31.47	system; in upper limbs
73723			34.03	23.13	31.77	Short-latency somatosensory evoked potential
						study, stimulation of any/all peripheral nerves or
						skin sites, recording from the central nervous
95926			54.74	23.26	31.47	system; in lower limbs
						Short-latency somatosensory evoked potential
						study, stimulation of any/all peripheral nerves or
						skin sites, recording from the central nervous
95927			55.62	24.15	31.47	system; in the trunk or head
						Central motor evoked potential study (transcranial
95928			143.93	64.46	79.47	motor stimulation); upper limbs
						Central motor evoked potential study (transcranial
95929			150.22	64.46	85.76	motor stimulation); lower limbs
						Visual evoked potential (VEP) testing central
95930			84.87	15.12	69.75	nervous system, checkerboard or flash
						Orbicularis oculi (blink) reflex, by
95933			52.37	25.20	27.17	electrodiagnostic testing
						H-reflex, amplitude and latency study; record
95934			29.28	21.87	7.40	gastrocnemius/soleus muscle
						H-reflex, amplitude and latency study; record
95936			31.27	23.87	7.40	muscle other than gastrocnemius/soleus muscle
						Neuromuscular junction testing (repetitive
						stimulation, paired stimuli), each nerve, any one
95937			40.46	28.76	11.71	method
						Monitoring for identification and lateralization of
						cerebral seizure focus, electroencephalographic (eg,
						8 channel EEG) recording and interpretation, each
95950			183.75	64.86	118.89	24 hours
						Monitoring for localization of cerebral seizure
						focus by cable or radio, 16 or more channel
						telemetry, combined electroencephalographic
95951			1460.37	258.04	1200.88	(EEG) and video recording and interpretation (eg, for presurgical localization), each 24 hours
93931			1400.37	236.04	1200.00	Monitoring for localization of cerebral seizure
						focus by computerized portable 16 or more channel
						EEG, electroencephalographic (EEG) recording
95953			351.80	131.93	219.87	and interpretation, each 24 hours
						Pharmacological or physical activation requiring
						physician attendance during EEG recording of
95954			212.25	105.29	106.96	activation phase (eg, thiopental activation test)
						Electroencephalogram (EEG) during
95955			110.08	41.05	69.03	nonintracranial surgery (eg, carotid surgery)
						Monitoring for localization of cerebral seizure
						focus by cable or radio, 16 or more channel
						telemetry, electroencephalographic (EEG)
95956			610.16	132.04	478.12	recording and interpretation, each 24 hours
						Digital analysis of electroencephalogram (EEG)
95957			144.49	85.51	58.97	(eg, for epileptic spike analysis)

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
						Wada activation test for hemispheric function, including electroencephalographic (EEG)
95958			241.08	180.22	60.85	monitoring
						Functional cortical and subcortical mapping by
						stimulation and/or recording of electrodes on brain
						surface, or of depth electrodes, to provoke seizures or identify vital brain structures; initial hour of
95961			181.76	136.82	44.94	physician attendance
93901			101.70	130.02	44.94	Functional cortical and subcortical mapping by
						stimulation and/or recording of electrodes on brain
						surface, or of depth electrodes, to provoke seizures
						or identify vital brain structures; each additional
						hour of physician attendance (List separately in
95962			187.15	142.21	44.94	addition to code for primary procedure)
						Magnetoencephalography (MEG), recording and
						analysis; for spontaneous brain magnetic activity
95965				345.44		(eg, epileptic cerebral cortex localization)
						Magnetoencephalography (MEG), recording and
						analysis; for evoked magnetic fields, single
0.5000				151.50		modality (eg, sensory, motor, language, or visual
95966				171.52		cortex localization)
						Magnetoencephalography (MEG), recording and
						analysis; for evoked magnetic fields, each additional modality (eg, sensory, motor, language,
						or visual cortex localization) (List separately in
95967				139.43		addition to code for primary procedure)
70701				1077.10		Electronic analysis of implanted neurostimulator
						pulse generator system (eg, rate, pulse amplitude
						and duration, configuration of wave form, battery
						status, electrode selectability, output modulation,
						cycling, impedance and patient compliance
						measurements); simple or complex brain, spinal
						cord, or peripheral (ie, cranial nerve, peripheral
						nerve, autonomic nerve, neuromuscular)
95970	41.29	17.79				neurostimulator pulse generator/transmitter, without reprogramming
93910	71.27	11.13				Electronic analysis of implanted neurostimulator
						pulse generator system (eg, rate, pulse amplitude
						and duration, configuration of wave form, battery
						status, electrode selectability, output modulation,
						cycling, impedance and patient compliance
						measurements); simple spinal cord, or peripheral
						(ie, peripheral nerve, autonomic nerve,
						neuromuscular) neurostimulator pulse
0.505						generator/transmitter, with intraoperative or
95971	45.71	30.48				subsequent programming

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Electronic analysis of implanted neurostimulator
						pulse generator system (eg, rate, pulse amplitude
						and duration, configuration of wave form, battery
						status, electrode selectability, output modulation,
						cycling, impedance and patient compliance
						measurements); complex spinal cord, or peripheral
						(except cranial nerve) neurostimulator pulse
						generator/transmitter, with intraoperative or
95972	84.79	60.96				subsequent programming, first hour
						Electronic analysis of implanted neurostimulator
						pulse generator system (eg, rate, pulse amplitude
						and duration, configuration of wave form, battery
						status, electrode selectability, output modulation,
						cycling, impedance and patient compliance
						measurements); complex spinal cord, or peripheral
						(except cranial nerve) neurostimulator pulse
						generator/transmitter, with intraoperative or
						subsequent programming, each additional 30
						minutes after first hour (List separately in addition
95973	47.61	38.34				to code for primary procedure)
						Electronic analysis of implanted neurostimulator
						pulse generator system (eg, rate, pulse amplitude
						and duration, configuration of wave form, battery
						status, electrode selectability, output modulation,
						cycling, impedance and patient compliance
						measurements); complex cranial nerve
						neurostimulator pulse generator/transmitter, with
						intraoperative or subsequent programming, with or
95974	143.06	129.82				without nerve interface testing, first hour
						Electronic analysis of implanted neurostimulator
						pulse generator system (eg, rate, pulse amplitude
						and duration, configuration of wave form, battery
						status, electrode selectability, output modulation,
						cycling, impedance and patient compliance
						measurements); complex cranial nerve
						neurostimulator pulse generator/transmitter, with
						intraoperative or subsequent programming, each
						additional 30 minutes after first hour (List
						separately in addition to code for primary
95975	79.30	74.00				procedure)
						Electronic analysis of implanted neurostimulator
						pulse generator system (eg, rate, pulse amplitude
						and duration, battery status, electrode selectability
						and polarity, impedance and patient compliance
						measurements), complex deep brain
						neurostimulator pulse generator/transmitter, with
95978	165.32	144.13				initial or subsequent programming; first hour

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
				_		Electronic analysis of implanted neurostimulator
						pulse generator system (eg, rate, pulse amplitude
						and duration, battery status, electrode selectability
						and polarity, impedance and patient compliance
						measurements), complex deep brain
						neurostimulator pulse generator/transmitter, with
						initial or subsequent programming; each additional
						30 minutes after first hour (List separately in
95979	76.08	70.12				addition to code for primary procedure)
						Refilling and maintenance of implantable pump or
						reservoir for drug delivery, spinal (intrathecal,
95990			51.01			epidural) or brain (intraventricular);
						Refilling and maintenance of implantable pump or
						reservoir for drug delivery, spinal (intrathecal,
						epidural) or brain (intraventricular); administered
95991	71.04	28.33				by physician
						Unlisted neurological or neuromuscular diagnostic
95999			I.C.			procedure
						Comprehensive computer-based motion analysis by
96000			69.93			video-taping and 3-D kinematics;
						Comprehensive computer-based motion analysis by
						video-taping and 3-D kinematics; with dynamic
96001			83.71			plantar pressure measurements during walking
						Dynamic surface electromyography, during
96002			16.78			walking or other functional activities, 1-12 muscles
70002			10770			Dynamic fine wire electromyography, during
96003			14.68			walking or other functional activities, 1 muscle
70002			11100			Physician review and interpretation of
						comprehensive computer based motion analysis,
						dynamic plantar pressure measurements, dynamic
						surface electromyography during walking or other
						functional activities, and dynamic fine wire
96004			92.93			electromyography, with written report
						Psychological testing (includes psychodiagnostic
						assessment of emotionality, intellectual abilities,
						personality and psychopathology, eg, MMPI,
						Rorshach, WAIS), per hour of the psychologist's or
						physician's time, both face-to-face time with the
						patient and time interpreting test results and
96101	74.22	73.56				preparing the report
						Psychological testing (includes psychodiagnostic
						assessment of emotionality, intellectual abilities,
						personality and psychopathology, eg, MMPI and
						WAIS), with qualified health care professional
						interpretation and report, administered by
96102	35.94	19.72				technician, per hour of technician time, face-to-face
						Psychological testing (includes psychodiagnostic
						assessment of emotionality, intellectual abilities,
						personality and psychopathology, eg, MMPI),
						administered by a computer, with qualified health
96103	21.54	20.22]	care professional interpretation and report

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
						Assessment of aphasia (includes assessment of
						expressive and receptive speech and language
						function, language comprehension, speech
						production ability, reading, spelling, writing, eg, by
						Boston Diagnostic Aphasia Examination) with
96105			62.64			interpretation and report, per hour
						Developmental testing; limited (eg, Developmental
						Screening Test II, Early Language Milestone
96110			9.99			Screen), with interpretation and report
						Developmental testing; extended (includes
						assessment of motor, language, social, adaptive
						and/or cognitive functioning by standardized
						developmental instruments) with interpretation and
96111			110.90			report
						Neurobehavioral status exam (clinical assessment
						of thinking, reasoning and judgment, eg, acquired
						knowledge, attention, language, memory, planning
						and problem solving, and visual spatial abilities),
						per hour of the psychologist's or physician's time,
						both face-to-face time with the patient and time
96116	83.09	76.80				
90110	83.09	70.80				interpreting test results and preparing the report
						Neuropsychological testing (eg, Halstead-Reitan
						Neuropsychological Battery, Wechsler Memory
						Scales and Wisconsin Card Sorting Test), per hour
						of the psychologist's or physician's time, both face-
						to-face time with the patient and time interpreting
96118	101.63	76.47				test results and preparing the report
						Neuropsychological testing (eg, Halstead-Reitan
						Neuropsychological Battery, Wechsler Memory
						Scales and Wisconsin Card Sorting Test), with
						qualified health care professional interpretation and
						report, administered by technician, per hour of
96119	53.06	25.58				technician time, face-to-face
						Neuropsychological testing (eg, Wisconsin Card
						Sorting Test), administered by a computer, with
						qualified health care professional interpretation and
96120	39.09	20.22				report
						Health and behavior assessment (eg, health-focused
						clinical interview, behavioral observations,
						psychophysiological monitoring, health-oriented
						questionnaires), each 15 minutes face-to-face with
96150			20.05			the patient; initial assessment
-						Health and behavior assessment (eg, health-focused
						clinical interview, behavioral observations,
						psychophysiological monitoring, health-oriented
						questionnaires), each 15 minutes face-to-face with
96151	19.49	19.16				the patient; re-assessment
70131	12.42	12.10				
06153	10.61	10.00				Health and behavior intervention, each 15 minutes,
96152	18.61	18.28				face-to-face; individual
						Health and behavior intervention, each 15 minutes,
96153	4.32	3.99				face-to-face; group (2 or more patients)

Health and behavior intervention, each 15 minutes, face-to-face; family (with the patient present)				Global			
Sec-10-face; family (with the patient present) Health and behavior intervention, each 15 minutes, face-to-face; family (with the patient present)	Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
	96154	18.33	18.00				
Chemotherapy administration, subcutaneous or intramuscular; non-hormonal anti-neoplastic							
96401 56.70 intramuscular; non-hormonal anti-neoplastic Chemotherapy administration, subcutaneous or intramuscular, hormonal anti-neoplastic Chemotherapy administration; intralesional, up to and including 7 lesions Chemotherapy administration; intralesional, up to and including 7 lesions Chemotherapy administration; intravenous, push technique; single or initial substance/drug (List separately in addition to code for primary procedure) 96411 60.20 Chemotherapy administration; intravenous push technique; cach additional substance/drug (List separately in addition to code for primary procedure) 96413 148.61 Chemotherapy administration, intravenous infusion technique; each additional bour, 1 to 8 hours (List separately in addition to code for primary procedure) 96415 32.33 Chemotherapy administration, intravenous infusion technique; each additional hour, 1 to 8 hours (List separately in addition to code for primary procedure) 96416 160.25 Chemotherapy administration, intravenous infusion technique; each additional hour, 1 to 8 hours (List separately in addition to code for primary procedure) 96416 160.25 Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) 96420 94.58 Chemotherapy administration, intra-arterial; push technique; each additional sequential infusion (Chemotherapy administration, intra-arterial; infusion technique, each addition to code for primary procedure) 96423 67.74 Chemotherapy administration, intra-arterial; infusion technique, each addition to code for primary procedure) 154.83 Chemotherapy administration intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump 154.84 Chemotherapy administration intra-arterial; infusion technique, each additional beauch up to 8 hours (List separately in addition to code for primary proc	96155	18.61	18.28				
Chemotherapy administration, subcutaneous or intramuscular; hormonal anti-neoplastic or intramuscular; hormonal anti-neoplastic or chemotherapy administration; intralesional, up to and including 7 lesions Genotherapy administration; intralesional, more than 7 lesions Chemotherapy administration; intravenous, push technique, single or initial substance/drug (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous, push technique, each additional substance/drug (List separately) in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug (List separately) in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; each additional hour, 1 to 8 hours (List separately) in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; each additional hour, 1 to 8 hours (List separately) in addition of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately) in addition to code for primary procedure) Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration into peural cavity, requiring and including							1.0
96402 29.99 intramuscular; hormonal anti-neoplastic	96401			56.70			intramuscular; non-hormonal anti-neoplastic
96405 107.13 23.04 and including 7 lesions Chemotherapy administration; intralesional, more than 7 lesions Chemotherapy administration; intravenous, push technique, each addition to code for primary procedure) 96410 105.01 Chemotherapy administration; intravenous push technique, each addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; each additional hour, I to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; each additional hour, I to 8 hours (List separately in addition to code for primary procedure) 96415 32.33 Procedure) Chemotherapy administration, intravenous infusion technique; each additional hour, I to 8 hours (List separately in addition of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) 96417 71.95 Procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, and instination intra-arterial; infusion technique, and instination of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into petural cavity, requiring and including thoracentesis Chemotherapy administration into petural cavity, requiring and including thoracentesis Chemotherapy administration into peturoneal	96402			29.99			
96409 105.01 Chemotherapy administration; intravenous, push technique, single or initial substance/drug (List separately in addition to code for primary procedure) 96411 60.20 Physical Chemotherapy administration, intravenous infusion technique; que to a hours (List separately in addition to code for primary procedure) 96413 148.61 Chemotherapy administration, intravenous infusion technique; que to a hour, single or initial substance/drug (List separately in addition to code for primary procedure) 96415 32.33 Physical Chemotherapy administration, intravenous infusion technique; each additional hour, 1 to 8 hours (List separately in addition to code for primary procedure) 96416 160.25 Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) 96417 71.95 Physical Chemotherapy administration, intravenous infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) 96420 94.58 Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, ach additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, ach additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, ach additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into peritoneal	96405	107.13	23.04				
96410 105.01 technique, single or initial substance/drug Chemotherapy administration; intravenous, push technique, each additional substance/drug (List separately in addition to code for primary procedure) 96413 148.61 Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug Chemotherapy administration, intravenous infusion technique; each additional hour, I to 8 hours (List separately in addition to code for primary procedure) 96415 32.33 Procedure) 96416 160.25 Chemotherapy administration, intravenous infusion technique; each additional foot primary procedure) 96416 160.25 Procedure) Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug, up to 1 hour (List separately in addition to code for primary procedure) 96417 71.95 Procedure) 96420 94.58 Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) 96420 Procedure) 96420 Procedure) 96420 Procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) 96423 Fr.74 Procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pelural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	96406	124.83	32.46				
technique, each additional substance/drug (List separately in addition to code for primary procedure) 148.61 148.61 148.61 Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug Chemotherapy administration, intravenous infusion technique; each additional hour, 1 to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, intitation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	96409			105.01			1 2
Separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug Chemotherapy administration, intravenous infusion technique; each additional hour, 1 to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, and additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, and additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal Chemotherapy administration into peri							
96413 60.20 procedure) Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug Chemotherapy administration, intravenous infusion technique; each additional hour, I to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal Chemotherapy admini							_
Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug Chemotherapy administration, intravenous infusion technique; each additional hour, 1 to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal Chemotherapy administration Chemotherapy administration Chemotherapy administration Che							
148.61 substance/drug Chemotherapy administration, intra-arterial; infusion technique, ach additional hour pto 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, ach additional hour pto 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, intitation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal Chemotherapy adm	96411			60.20			1
96413 148.61 substance/drug Chemotherapy administration, intravenous infusion technique; each additional hour, 1 to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal Chemotherap							
Chemotherapy administration, intravenous infusion technique; each additional hour, 1 to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) 96420 94.58 Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) 96423 67.74 Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	06440			1.10.61			
technique; each additional hour, 1 to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) 71.95 Po420 94.58 Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	96413			148.61			
Separately in addition to code for primary procedure							
96415 96416 96416 160.25 Portable or implantable pump Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal							*
Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) 71.95 P6420 94.58 Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	06/15			32 33			
technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) Poeta 94.58 Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	70413			32.33			
infusion (more than 8 hours), requiring use of a portable or implantable pump Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) 71.95 96417 71.95 Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal							
96416 160.25 portable or implantable pump Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal							
Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) 96420 94.58 Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Genotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	96416			160.25			
technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	70.110			100,20			
(different substance/drug), up to 1 hour (List separately in addition to code for primary procedure) 71.95							1
96420 96420 96420 96420 96422 166.75 Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal							
Chemotherapy administration, intra-arterial; push technique Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal							separately in addition to code for primary
96420 94.58 Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	96417			71.95			
Chemotherapy administration, intra-arterial; infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal							
96422 166.75 infusion technique, up to one hour Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	96420			94.58			technique
Chemotherapy administration, intra-arterial; infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal							
infusion technique, each additional hour up to 8 hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	96422			166.75			1 ' 1
hours (List separately in addition to code for primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal							1
96423 67.74 primary procedure) Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal							
Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	06422			. . - :			
infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	96423			67.74			
96425 (more than 8 hours), requiring the use of a portable or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal							
96425 154.83 or implantable pump Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal							
96440 335.72 110.26 Chemotherapy administration into pleural cavity, requiring and including thoracentesis Chemotherapy administration into peritoneal	06/25			15/1 92			
96440 335.72 110.26 requiring and including thoracentesis Chemotherapy administration into peritoneal	70423			134.03			
Chemotherapy administration into peritoneal	96440	335.72	110.26				
							1 2 2
	96445	330.67	103.21				cavity, requiring and including peritoneocentesis

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Chemotherapy administration, into CNS (eg,
						intrathecal), requiring and including spinal
96450	274.88	87.15				puncture
96521			131.99			Refilling and maintenance of portable pump
						Refilling and maintenance of implantable pump or
			0.4.0.4			reservoir for drug delivery, systemic (eg,
96522			94.91			intravenous, intra-arterial)
						Irrigation of implanted venous access device for
96523			24.18			drug delivery systems
						Chemotherapy injection, subarachnoid or
0.65.40	1.60.77	44.22				intraventricular via subcutaneous reservoir, single
96542	162.75	44.22				or multiple agents
96549			I.C.			Unlisted chemotherapy procedure
						Photodynamic therapy by external application of
						light to destroy premalignant and/or malignant
						lesions of the skin and adjacent mucosa (eg, lip) by
96567			65.70			activation of photosensitive drug(s), each
90307	1		65.79			phototherapy exposure session Photodynamic therapy by and according application of
						Photodynamic therapy by endoscopic application of light to ablate abnormal tissue via activation of
						photosensitive drug(s); first 30 minutes (List
						separately in addition to code for endoscopy or
96570			45.22			bronchoscopy procedures of lung and esophagus)
70570			13.22			Photodynamic therapy by endoscopic application of
						light to ablate abnormal tissue via activation of
						photosensitive drug(s); each additional 15 minutes
						(List separately in addition to code for endoscopy
						or bronchoscopy procedures of lung and
96571			22.21			esophagus)
96900			15.02			Actinotherapy (ultraviolet light)
						Microscopic examination of hairs plucked or
						clipped by the examiner (excluding hair collected
						by the patient) to determine telogen and anagen
96902	17.55	16.89				counts, or structural hair shaft abnormality
						Photochemotherapy; tar and ultraviolet B
						(Goeckerman treatment) or petrolatum and
96910			33.67			ultraviolet B
						Photochemotherapy; psoralens and ultraviolet A
96912			42.84			(PUVA)
						Photochemotherapy (Goeckerman and/or PUVA)
						for severe photoresponsive dermatoses requiring at
						least four to eight hours of care under direct
96913			57.86			supervision of the physician (includes application
90913	+ +		37.80			of medication and dressings)
06020	116.42	<i>E</i> O 00				Laser treatment for inflammatory skin disease
96920	116.43	50.88				(psoriasis); total area less than 250 sq cm
0.6064	110.50	£4.00				Laser treatment for inflammatory skin disease
96921	119.53	51.99				(psoriasis); 250 sq cm to 500 sq cm
0.55						Laser treatment for inflammatory skin disease
96922	174.68	79.66				(psoriasis); over 500 sq cm

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
96999			I.C.			Unlisted special dermatological service or procedure
97001	59.23	49.30				Physical therapy evaluation
97002	31.65	24.70				Physical therapy re-evaluation
97003	63.76	47.87				Occupational therapy evaluation
97004	39.27	23.38				Occupational therapy re-evaluation
97005			I.C.			Athletic training evaluation
97006			I.C.			Athletic training re-evaluation
97010			3.54			Application of a modality to one or more areas; hot or cold packs
97012			11.46			Application of a modality to one or more areas; traction, mechanical
97014			11.51			Application of a modality to one or more areas; electrical stimulation (unattended)
97016			11.18			Application of a modality to one or more areas; vasopneumatic devices
97018			5.20			Application of a modality to one or more areas; paraffin bath
97022			11.89			Application of a modality to one or more areas; whirlpool
97024			4.21			Application of a modality to one or more areas; diathermy (eg, microwave)
97026			3.87			Application of a modality to one or more areas; infrared
97028			4.76			Application of a modality to one or more areas; ultraviolet
97032			12.45			Application of a modality to one or more areas; electrical stimulation (manual), each 15 minutes
97033			16.37			Application of a modality to one or more areas; iontophoresis, each 15 minutes
97034			11.01			Application of a modality to one or more areas; contrast baths, each 15 minutes
97035			9.36			Application of a modality to one or more areas; ultrasound, each 15 minutes
97036			18.58			Application of a modality to one or more areas; Hubbard tank, each 15 minutes
97039			I.C.			Unlisted modality (specify type and time if constant attendance)
97110			21.87			Therapeutic procedure, one or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility
						Therapeutic procedure, one or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing
97112			22.97			activities
97113			25.34			Therapeutic procedure, one or more areas, each 15 minutes; aquatic therapy with therapeutic exercises
97116			19.26			Therapeutic procedure, one or more areas, each 15 minutes; gait training (includes stair climbing)

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Therapeutic procedure, one or more areas, each 15
						minutes; massage, including effleurage, petrissage
						and/or tapotement (stroking, compression,
97124			17.54			percussion)
97139			I.C.			Unlisted therapeutic procedure (specify)
						Manual therapy techniques (eg, mobilization/
						manipulation, manual lymphatic drainage, manual
97140			20.43			traction), one or more regions, each 15 minutes
						Therapeutic procedure(s), group (2 or more
97150			13.67			individuals)
						Therapeutic activities, direct (one-on-one) patient
						contact by the provider (use of dynamic activities
						to improve functional performance), each 15
97530			23.02			minutes
						Development of cognitive skills to improve
						attention, memory, problem solving, (includes
						compensatory training), direct (one-on-one) patient
97532			19.05			contact by the provider, each 15 minutes
						Sensory integrative techniques to enhance sensory
						processing and promote adaptive responses to
07522			20.27			environmental demands, direct (one-on-one) patient
97533			20.37			contact by the provider, each 15 minutes
						Self-care/home management training (eg, activities
						of daily living (ADL) and compensatory training,
						meal preparation, safety procedures, and
						instructions in use of assistive technology
97535			23.63			devices/adaptive equipment) direct one-on-one contact by provider, each 15 minutes
91333			23.03			Community/work reintegration training (eg,
						shopping, transportation, money management,
						avocational activities and/or work
						environment/modification analysis, work task
						analysis, use of assistive technology
						device/adaptive equipment), direct one-on-one
97537			21.31			contact by provider, each 15 minutes
						Wheelchair management (eg, assessment, fitting,
97542			21.97			training), each 15 minutes
97545			I.C.			Work hardening/conditioning; initial 2 hours
3.2.2			1.0.			Work hardening/conditioning; each additional hour
						(List separately in addition to code for primary
97546			I.C.			procedure)
						Removal of devitalized tissue from wound(s),
						selective debridement, without anesthesia (eg, high
						pressure waterjet with/without suction, sharp
						selective debridement with scissors, scalpel and
						forceps), with or without topical application(s),
						wound assessment, and instruction(s) for ongoing
						care, may include use of a whirlpool, per session;
						total wound(s) surface area less than or equal to 20
97597			39.06			square centimeters

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
97598			49.46			Removal of devitalized tissue from wound(s), selective debridement, without anesthesia (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), with or without topical application(s), wound assessment, and instruction(s) for ongoing care, may include use of a whirlpool, per session; total wound(s) surface area greater than 20 square centimeters
97602			I.C.			Removal of devitalized tissue from wound(s), non- selective debridement, without anesthesia (eg, wet- to-moist dressings, enzymatic, abrasion), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session
97605	26.96	22.98				Negative pressure wound therapy (eg, vacuum assisted drainage collection), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session; total wound(s) surface area less than or equal to 50 square centimeters
97606	47.11	30.89				Negative pressure wound therapy (eg, vacuum assisted drainage collection), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session; total wound(s) surface area greater than 50 square centimeters
97750			23.52			Physical performance test or measurement (eg, musculoskeletal, functional capacity), with written report, each 15 minutes
97755			26.91			Assistive technology assessment (eg, to restore, augment or compensate for existing function, optimize functional tasks and/or maximize environmental accessibility), direct one-on-one contact by provider, with written report, each 15 minutes
97760	24.41	19.77				Orthotic(s) management and training (including assessment and fitting when not otherwise reported), upper extremity(s), lower extremity(s) and/or trunk, each 15 minutes
97761	22.20	19.22				Prosthetic training, upper and/or lower extremity(s), each 15 minutes
97762	21.29	13.67				Checkout for orthotic/prosthetic use, established patient, each 15 minutes
97799			I.C.			Unlisted physical medicine/rehabilitation service or procedure
97802			15.79			Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes Medical nutrition therapy; re-assessment and
97803			15.79			intervention, individual, face-to-face with the patient, each 15 minutes

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
97804			6.18			Medical nutrition therapy; group (2 or more individual(s)), each 30 minutes
97810	29.89	24.93				Acupuncture, 1 or more needles; without electrical stimulation, initial 15 minutes of personal one-on-one contact with the patient
						Acupuncture, 1 or more needles; without electrical stimulation, each additional 15 minutes of personal one-on-one contact with the patient, with reinsertion of needle(s) (List separately in addition to
97811	31.94	20.83				code for primary procedure) Acupuncture, 1 or more needles; with electrical stimulation, initial 15 minutes of personal one-on-one contact with the patient
97814	25.86	22.88				Acupuncture, 1 or more needles; with electrical stimulation, each additional 15 minutes of personal one-on-one contact with the patient, with reinsertion of needle(s) (List separately in addition to code for primary procedure)
98925	23.52	17.56				Osteopathic manipulative treatment (OMT); one to two body regions involved
98926	32.27	26.97				Osteopathic manipulative treatment (OMT); three to four body regions involved
98927	41.35	34.40				Osteopathic manipulative treatment (OMT); five to six body regions involved
98928	48.99	40.72				Osteopathic manipulative treatment (OMT); seven to eight body regions involved
98929	56.30	46.37				Osteopathic manipulative treatment (OMT); nine to ten body regions involved
98940	20.32	16.68				Chiropractic manipulative treatment (CMT); spinal, one to two regions
98941	28.18	23.88				Chiropractic manipulative treatment (CMT); spinal, three to four regions
98942	36.49	32.19				Chiropractic manipulative treatment (CMT); spinal, five regions
98943	19.26	16.61				Chiropractic manipulative treatment (CMT); extraspinal, one or more regions
98960			I.C.			Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face- to-face with the patient (could include caregiver/family) each 30 minutes; individual patient
98961			I.C.			Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face- to-face with the patient (could include caregiver/family) each 30 minutes; 2-4 patients

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Education and training for patient self-management
						by a qualified, nonphysician health care
						professional using a standardized curriculum, face-
						to-face with the patient (could include
98962			I.C.			caregiver/family) each 30 minutes; 5-8 patients
						Handling and/or conveyance of specimen for
99000			1.00			transfer from the physician's office to a laboratory
						Handling and/or conveyance of specimen for
						transfer from the patient in other than a physician's
99001			1.00			office to a laboratory (distance may be indicated)
,,,,,,,			1.00			Handling, conveyance, and/or any other service in
						connection with the implementation of an order
						involving devices (eg, designing, fitting, packaging,
						handling, delivery or mailing) when devices such
						as orthotics, protectives, prosthetics are fabricated
						by an outside laboratory or shop but which items
						have been designed, and are to be fitted and
99002			1.00			adjusted by the attending physician
						Postoperative follow-up visit, normally included in
						the surgical package, to indicate that an evaluation
						and management service was performed during a
						postoperative period for a reason(s) related to the
99024			I.C.			original procedure
						Hospital mandated on call service; in-hospital, each
99026			I.C.			hour
						Hospital mandated on call service; out-of-hospital,
99027			I.C.			each hour
						Services provided in the office at times other than
						regularly scheduled office hours, or days when the
						office is normally closed (eg, holidays, Saturday or
99050			15.70			Sunday), in addition to basic service
						Service(s) provided in the office during regularly
						scheduled evening, weekend, or holiday office
99051			I.C.			hours, in addition to basic service
						Service(s) provided between 10:00 PM and 8:00
99053			I.C.			AM at 24-hour facility, in addition to basic service
						Service(s) typically provided in the office, provided
						out of the office at request of patient, in addition to
99056			I.C.			basic service
						Service(s) provided on an emergency basis in the
						office, which disrupts other scheduled office
99058			I.C.			services, in addition to basic service
						Service(s) provided on an emergency basis, out of
						the office, which disrupts other scheduled office
99060			I.C.			services, in addition to basic service
						Supplies and materials (except spectacles),
						provided by the physician over and above those
						usually included with the office visit or other
						services rendered (list drugs, trays, supplies, or
99070			I.C.			materials provided)

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
Couc	THE	TAC	100	TOTAL	1010	Educational supplies, such as books, tapes, and
						pamphlets, provided by the physician for the
99071			I.C.			patient's education at cost to physician
99075			I.C.			Medical testimony
33013			1.0.			Physician educational services rendered to patients
						in a group setting (eg, prenatal, obesity, or diabetic
99078			I.C.			instructions)
						Special reports such as insurance forms, more than
						the information conveyed in the usual medical
99080			I.C.			communications or standard reporting form
						Unusual travel (eg, transportation and escort of
99082			I.C.			patient)
						Analysis of clinical data stored in computers (eg,
99090			I.C.			ECGs, blood pressures, hematologic data)
						Collection and interpretation of physiologic data
						(eg, ECG, blood pressure, glucose monitoring)
						digitally stored and/or transmitted by the patient
						and/or caregiver to the physician or other qualified
						health care professional, requiring a minimum of
99091			I.C.			30 minutes of time
						Anesthesia for patient of extreme age, under 1 year
						and over 70 (List separately in addition to code for
99100			I.C.			primary anesthesia procedure)
						Anesthesia complicated by utilization of total body
00116			1.0			hypothermia (List separately in addition to code for
99116			I.C.			primary anesthesia procedure)
						Anesthesia complicated by utilization of controlled hypotension (List separately in addition to code for
99135			I.C.			primary anesthesia procedure)
99133			1.C.			Anesthesia complicated by emergency conditions
						(specify) (List separately in addition to code for
99140			I.C.			primary anesthesia procedure)
						Moderate sedation services (other than those
						services described by codes 00100-01999) provided
						by the same physician performing the diagnostic or
						therapeutic service that the sedation supports,
						requiring the presence of an independent trained
						observer to assist in the monitoring of the
						patientÆs level of consciousness and physiological
						status; under 5 years of age, first 30 minutes intra-
99143			I.C.			service time
						Moderate sedation services (other than those
						services described by codes 00100-01999) provided
						by the same physician performing the diagnostic or
						therapeutic service that the sedation supports,
						requiring the presence of an independent trained
						observer to assist in the monitoring of the
						patientÆs level of consciousness and physiological
00144			1.0			status; age 5 years or older, first 30 minutes intra-
99144			I.C.			service time

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
Code	MAC	TAC	100	1010	1010	Moderate sedation services (other than those
						services described by codes 00100-01999) provided
						by the same physician performing the diagnostic or
						therapeutic service that the sedation supports,
						requiring the presence of an independent trained
						observer to assist in the monitoring of the
						patientÆs level of consciousness and physiological
						status; each additional 15 minutes intra-service
						time (List separately in addition to code for primary
99145			I.C.			service)
99143			1.C.			Moderate sedation services (other than those
						services described by codes 00100-01999),
						T
						provided by a physician other than the health care
						professional performing the diagnostic or
99148			I.C.			therapeutic service that the sedation supports; under
77140			1.C.			5 years of age, first 30 minutes intra-service time Moderate sedation services (other than those
						`
						services described by codes 00100-01999), provided by a physician other than the health care
						professional performing the diagnostic or
99149			LC			therapeutic service that the sedation supports; age 5 years or older, first 30 minutes intra-service time
99149			I.C.			
						Moderate sedation services (other than those
						services described by codes 00100-01999),
						provided by a physician other than the health care
						professional performing the diagnostic or
						therapeutic service that the sedation supports; each
99150			LC			additional 15 minutes intra-service time (List
99130			I.C.			separately in addition to code for primary service)
00170	100.02	60.52				Anogenital examination with colposcopic
99170	108.92	68.53				magnification in childhood for suspected trauma
						Visual function screening, automated or semi-
						automated bilateral quantitative determination of
						visual acuity, ocular alignment, color vision by
						pseudoisochromatic plates, and field of vision (may
						include all or some screening of the
99172			I.C.			determination(s) for contrast sensitivity, vision
99172			1.C.			under glare) Ipecac or similar administration for individual
						emesis and continued observation until stomach
99175			48.26			adequately emptied of poison
77113			70.20			
00192	176.00	92.31				Physician attendance and supervision of hyperbaric
99183	176.08	92.31	22.00			oxygen therapy, per session
99185			22.09			Hypothermia; regional
99186			69.35			Hypothermia; total body
						Assembly and operation of pump with oxygenator
00100						or heat exchanger (with or without ECG and/or
99190			I.C.			pressure monitoring); each hour
						Assembly and operation of pump with oxygenator
00101						or heat exchanger (with or without ECG and/or
99191			I.C.			pressure monitoring); 3/4 hour

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Assembly and operation of pump with oxygenator
						or heat exchanger (with or without ECG and/or
99192			I.C.			pressure monitoring); 1/2 hour
99195			15.02			Phlebotomy, therapeutic (separate procedure)
99199			I.C.			Unlisted special service, procedure or report
						Office or other outpatient visit for the evaluation
						and management of a new patient, which requires
						these three key components: a problem focused
						history; a problem focused examination;
						straightforward medical decision making.
						Counseling and/or coordination of care with other
						providers or agencies are provided consistent with
						the nature of the problem(s) and the patient's and/or
						family's needs. Usually, the presenting problem(s)
						are self limited or minor. Physicians typically
99201	20.27	10 12				spend 10 minutes face-to-face with the patient
99201	29.37	18.12				and/or family.
						Office or other outpatient visit for the evaluation and management of a new patient, which requires
						these three key components: an expanded problem
						focused history; an expanded problem focused
						examination; straightforward medical decision
						making. Counseling and/or coordination of care
						with other providers or agencies are provided
						consistent with the nature of the problem(s) and the
						patient's and/or family's needs. Usually, the
						presenting problem(s) are of low to moderate
						severity. Physicians typically spend 20 minutes
99202	51.68	35.79				face-to-face with the patient and/or family.
						Office or other outpatient visit for the evaluation
						and management of a new patient, which requires
						these three key components: a detailed history; a
						detailed examination; medical decision making of
						low complexity. Counseling and/or coordination of
						care with other providers or agencies are provided
						consistent with the nature of the problem(s) and the
						patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity.
						Physicians typically spend 30 minutes face-to-face
99203	76.59	55.07				with the patient and/or family.
77203	10.57	55.01				Office or other outpatient visit for the evaluation
						and management of a new patient, which requires
						these three key components: a comprehensive
						history; a comprehensive examination; medical
						decision making of moderate complexity.
						Counseling and/or coordination of care with other
						providers or agencies are provided consistent with
						the nature of the problem(s) and the patient's and/or
						family's needs. Usually, the presenting problem(s)
						are of moderate to high severity. Physicians
						typically spend 45 minutes face-to-face with the
99204	107.81	81.66				patient and/or family.

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
99205	136.34	108.86				Office or other outpatient visit for the evaluation and management of a new patient, which requires these three key components: a comprehensive history; a comprehensive examination; medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 60 minutes face-to-face with the patient and/or family.
99211	17.85	6.92				Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician. Usually, the presenting problem(s) are minimal. Typically, 5 minutes are spent performing or supervising these services.
99212	31.03	18.45				Office or other outpatient visit for the evaluation and management of an established patient, which requires at least two of these three key components: a problem focused history; a problem focused examination; straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 10 minutes face-to-face with the patient and/or family.
99213	42.10	27.20				Office or other outpatient visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused history; an expanded problem focused examination; medical decision making of low complexity. Counseling and coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 15 minutes face-to-face with the patient and/or family.

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
99214	65.73	45.20				Office or other outpatient visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family.
99215	94.58	72.40				Office or other outpatient visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive history; a comprehensive examination; medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family.
99217			54.39			Observation care discharge day management (This code is to be utilized by the physician to report all services provided to a patient on discharge from observation status if the discharge is on other than the initial date of observation status. To report services to a patient designated as observation status or inpatient status and discharged on the same date, use the codes for Observation or Inpatient Care Services [including Admission and Discharge Services, 99234-99236 as appropriate.])
99218			51.41			Initial observation care, per day, for the evaluation and management of a patient which requires these three key components: a detailed or comprehensive history; a detailed or comprehensive examination; and medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission to observation status are of low severity.

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Initial observation care, per day, for the evaluation
						and management of a patient, which requires these
						three key components: a comprehensive history; a
						comprehensive examination; and medical decision
						making of moderate complexity. Counseling and/or
						coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually, the problem(s) requiring admission
99219			85.42			to observation status are of moderate severity.
						Initial observation care, per day, for the evaluation
						and management of a patient, which requires these
						three key components: a comprehensive history; a
						comprehensive examination; and medical decision
						making of high complexity. Counseling and/or
						coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually, the problem(s) requiring admission
99220			120.15			to observation status are of high severity.
						Initial hospital care, per day, for the evaluation and
						management of a patient, which requires these
						three key components: a detailed or comprehensive
						history; a detailed or comprehensive examination;
						and medical decision making that is straightforward
						or of low complexity. Counseling and/or
						coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually, the problem(s) requiring admission
						are of low severity. Physicians typically spend 30
						minutes at the bedside and on the patient's hospital
99221			51.96			floor or unit.
						Initial hospital care, per day, for the evaluation and
						management of a patient, which requires these
						three key components: a comprehensive history; a
						comprehensive examination; and medical decision
						making of moderate complexity. Counseling and/or
						coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually, the problem(s) requiring admission
						are of moderate severity. Physicians typically spend
						50 minutes at the bedside and on the patient's
99222			86.09			hospital floor or unit.

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Initial hospital care, per day, for the evaluation and management of a patient, which requires these three key components: a comprehensive history; a comprehensive examination; and medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission are of high severity. Physicians typically spend 70
99223			119.93			minutes at the bedside and on the patient's hospital floor or unit.
77223			119.55			Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least two of these three key components: a problem focused interval history; a problem focused examination; medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is stable, recovering or improving. Physicians typically spend 15 minutes at the bedside and on the patient's hospital floor or
99231			26.04			unit.
99232			42.54			Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is responding inadequately to therapy or has developed a minor complication. Physicians typically spend 25 minutes at the bedside and on the patient's hospital floor or unit.
99233			60.43			Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is unstable or has developed a significant complication or a significant new problem. Physicians typically spend 35 minutes at the bedside and on the patient's hospital floor or unit.

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
	1,2120			10100	10100	Observation or inpatient hospital care, for the
						evaluation and management of a patient including
						admission and discharge on the same date which
						requires these three key components: a detailed or
						comprehensive history; a detailed or
						comprehensive examination; and medical decision
						making that is straightforward or of low
						complexity. Counseling and/or coordination of care
						with other providers or agencies are provided
						consistent with the nature of the problem(s) and the
						patient's and/or family's needs. Usually the
						presenting problem(s) requiring admission are of
99234			103.37			low severity.
99234			103.37			Observation or inpatient hospital care, for the
						evaluation and management of a patient including
						admission and discharge on the same date which
						requires these three key components: a
						comprehensive history; a comprehensive
						examination; and medical decision making of
						moderate complexity. Counseling and/or
						coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually the presenting problem(s) requiring
99235			136.22			admission are of moderate severity.
99233			130.22			
						Observation or inpatient hospital care, for the
						evaluation and management of a patient including
						admission and discharge on the same date which
						requires these three key components: a
						comprehensive history; a comprehensive
						examination; and medical decision making of high
						complexity. Counseling and/or coordination of care with other providers or agencies are provided
						consistent with the nature of the problem(s) and the
						patient's and/or family's needs. Usually the
99236			170.07			presenting problem(s) requiring admission are of
99230			170.07			high severity.
00229			54.40			Hospital discharge day management; 30 minutes or
99238			54.49			less
00220			74.07			Hospital discharge day management; more than 30
99239			74.27			minutes
						Office consultation for a new or established patient,
						which requires these three key components: a
						problem focused history; problem focused
						examination; and straightforward medical decision
						making. Counseling and/or coordination of care
						with other providers or agencies are provided
						consistent with the nature of the problem(s) and the
						patient's and/or family's needs. Usually, the
						presenting problem(s) are self limited or minor.
00241	40.06	26.15				Physicians typically spend 15 minutes face-to-face
99241	40.06	26.15				with the patient and/or family.

	NEAG	T. C	Global	DG E	TC F	D
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description Office computation for a new or established nations
						Office consultation for a new or established patient, which requires these three key components: an
						expanded problem focused history; an expanded
						problem focused examination; and straightforward
						medical decision making. Counseling and/or
						coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually, the presenting problem(s) are of
						low severity. Physicians typically spend 30 minutes
99242	72.45	53.24				face-to-face with the patient and/or family.
						Office consultation for a new or established patient,
						which requires these three key components: a
						detailed history; a detailed examination; and
						medical decision making of low complexity. Counseling and/or coordination of care with other
						providers or agencies are provided consistent with
						the nature of the problem(s) and the patient's and/or
						family's needs. Usually, the presenting problem(s)
						are of moderate severity. Physicians typically spend
						40 minutes face-to-face with the patient and/or
99243	96.63	71.47				family.
						Office consultation for a new or established patient,
						which requires these three key components: a
						comprehensive history; a comprehensive
						examination; and medical decision making of
						moderate complexity. Counseling and/or
						coordination of care with other providers or agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually, the presenting problem(s) are of
						moderate to high severity. Physicians typically
						spend 60 minutes face-to-face with the patient
99244	135.72	105.59				and/or family.
						Office consultation for a new or established patient,
						which requires these three key components: a
						comprehensive history; a comprehensive
						examination; and medical decision making of high
						complexity. Counseling and/or coordination of care
						with other providers or agencies are provided consistent with the nature of the problem(s) and the
						patient's and/or family's needs. Usually, the
						presenting problem(s) are of moderate to high
						severity. Physicians typically spend 80 minutes
99245	175.03	140.60				face-to-face with the patient and/or family.

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Initial inpatient consultation for a new or
						established patient, which requires these three key
						components: a problem focused history; a problem
						focused examination; and straightforward medical
						decision making. Counseling and/or coordination
						of care with other providers or agencies are
						provided consistent with the nature of the
						problem(s) and the patient's and/or family's needs.
						Usually, the presenting problem(s) are self limited
						or minor. Physicians typically spend 20 minutes at
						the bedside and on the patient's hospital floor or
99251			27.37			unit.
						Initial inpatient consultation for a new or
						established patient, which requires these three key
						components: an expanded problem focused history;
						an expanded problem focused examination; and
						straightforward medical decision making.
						Counseling and/or coordination of care with other
						providers or agencies are provided consistent with
						the nature of the problem(s) and the patient's and/or
						family's needs. Usually, the presenting problem(s)
						are of low severity. Physicians typically spend 40
						minutes at the bedside and on the patient's hospital
99252			55.18			floor or unit.
						Initial inpatient consultation for a new or
						established patient, which requires these three key
						components: a detailed history; a detailed
						examination; and medical decision making of low
						complexity. Counseling and/or coordination of care
						with other providers or agencies are provided
						consistent with the nature of the problem(s) and the
						patient's and/or family's needs. Usually, the
						presenting problem(s) are of moderate severity.
99253			75.45			Physicians typically spend 55 minutes at the
99233			13.43			bedside and on the patient's hospital floor or unit.
						Initial inpatient consultation for a new or
						established patient, which requires these three key components: a comprehensive history; a
						components: a comprehensive history; a comprehensive examination; and medical decision
						making of moderate complexity. Counseling and/or
						coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually, the presenting problem(s) are of
						moderate to high severity. Physicians typically
						spend 80 minutes at the bedside and on the patient's
99254			108.57			hospital floor or unit.
27434			100.57	l	1	nospital nool of unit.

TC Fee	Description
	Initial inpatient consultation for a new or
	established patient, which requires these three key
	components: a comprehensive history; a
	comprehensive examination; and medical decision
	making of high complexity. Counseling and/or
	coordination of care with other providers or
	agencies are provided consistent with the nature of
	the problem(s) and the patient's and/or family's
	needs. Usually, the presenting problem(s) are of
	moderate to high severity. Physicians typically
	spend 110 minutes at the bedside and on the
	patient's hospital floor or unit.
	Emergency department visit for the evaluation and
	management of a patient, which requires these
	three key components: a problem focused history; a problem focused examination; and straightforward
	medical decision making. Counseling and/or
	coordination of care with other providers or
	agencies are provided consistent with the nature of
	the problem(s) and the patient's and/or family's
	needs. Usually, the presenting problem(s) are self
	limited or minor.
	Emergency department visit for the evaluation and
	management of a patient, which requires these
	three key components: an expanded problem
	focused history; an expanded problem focused
	examination; and medical decision making of low
	complexity. Counseling and/or coordination of care
	with other providers or agencies are provided
	consistent with the nature of the problem(s) and the
	patient's and/or family's needs. Usually, the
	presenting problem(s) are of low to moderate
	severity.
	Emergency department visit for the evaluation and
	management of a patient, which requires these
	three key components: an expanded problem focused history; an expanded problem focused
	examination; and medical decision making of
	moderate complexity. Counseling and/or
	coordination of care with other providers or
	agencies are provided consistent with the nature of
	the problem(s) and the patient's and/or family's
	needs. Usually, the presenting problem(s) are of
	moderate severity.
_	TC Fee

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
99284			72.77			Emergency department visit for the evaluation and management of a patient, which requires these three key components: a detailed history; a detailed examination; and medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity, and require urgent evaluation by the physician but do not pose an immediate significant threat to life or physiologic function.
						Emergency department visit for the evaluation and management of a patient, which requires these three key components within the constraints imposed by the urgency of the patient's clinical condition and/or mental status: a comprehensive history; a comprehensive examination; and medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity and pose an immediate significant
99285			113.85			threat to life or physiologic function. Physician direction of emergency medical systems
99288			I.C.			(EMS) emergency care, advanced life support
99289			186.22			Critical care services delivered by a physician, face-to-face, during an interfacility transport of critically ill or critically injured pediatric patient, 24 months of age or less; first 30-74 minutes of hands on care during transport
99290			96.06			Critical care services delivered by a physician, face-to-face, during an interfacility transport of critically ill or critically injured pediatric patient, 24 months of age or less; each additional 30 minutes (List separately in addition to code for primary service)
99291	200.77	157.73				Critical care, evaluation and management of the critically ill or critically injured patient; first 30-74 minutes
99292	87.72	79.12				Critical care, evaluation and management of the critically ill or critically injured patient; each additional 30 minutes (List separately in addition to code for primary service)
99293			625.83			Initial inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 29 days through 24 months of age

G 1	MEAG	EAG	Global	DC F	TC F	D
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description Subsequent inpatient pediatric critical care, per day,
						for the evaluation and management of a critically ill infant or young child, 29 days through 24 months
99294			311.45			of age
99295			716.36			Initial inpatient neonatal critical care, per day, for the evaluation and management of a critically ill neonate, 28 days of age or less
99293			710.30			
99296			I.C.			Subsequent inpatient neonatal critical care, per day, for the evaluation and management of a critically ill neonate, 28 days of age or less
						Subsequent intensive care, per day, for the
						evaluation and management of the recovering very
00208			110.06			low birth weight infant (present body weight less
99298			110.86			than 1500 grams) Subsequent intensive care, per day, for the
						evaluation and management of the recovering low
						birth weight infant (present body weight of 1500-
99299			101.39			2500 grams)
						Subsequent intensive care, per day, for the
						evaluation and management of the recovering
99300			148.14			infant (present body weight of 2501-5000 grams)
						Initial nursing facility care, per day, for the evaluation and management of a patient which
						requires these three key components: a detailed or
						comprehensive history; a detailed or
						comprehensive examination; and medical decision
						making that is straightforward or of low
						complexity. Counseling and/or coordination of care
						with other providers or agencies are provided
						consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the
99304			50.62			problem(s) requiring admission are of low severity.
						Initial nursing facility care, per day, for the
						evaluation and management of a patient which
						requires these three key components: a
						comprehensive history; a comprehensive
						examination; and medical decision making of
						moderate complexity. Counseling and/or coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually, the problem(s) requiring admission
99305			67.07			are of moderate severity.

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description 1 Control 1 Co
99306			82.59			Initial nursing facility care, per day, for the evaluation and management of a patient, which requires these three key components: a comprehensive history; a comprehensive examination; and medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission are of high severity.
99307			26.25			Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires at least two of these three key components: a problem focused interval history; a problem focused examination; straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is stable, recovering, or improving.
99308			43.53			Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is responding inadequately to therapy or has developed a minor complication.
99309			61.25			Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient has developed a significant complication or a significant new problem.

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Subsequent nursing facility care, per day, for the
						evaluation and management of a patient, which
						requires at least two of these three key components:
						a comprehensive interval history; a comprehensive
						examination; medical decision making of high
						complexity. Counseling and/or coordination of care
						with other providers or agencies are provided
						consistent with the nature of the problem(s) and the
						patient's and/or family's needs. The patient may be
00240			5 6.50			unstable or may have developed a significant new
99310			76.70			problem requiring immediate physician attention.
						Nursing facility discharge day management; 30
99315			47.36			minutes or less
						Nursing facility discharge day management; more
99316			62.47			than 30 minutes
						Evaluation and management of a patient involving
						an annual nursing facility assessment, which
						requires these three key components: a detailed
						interval history; a comprehensive examination; and
						medical decision making that is of low to moderate
						complexity. Counseling and/or coordination of care
						with other providers or agencies are provided
						consistent with the nature of the problem(s) and the
						patient's and/or family's needs. Usually, the patient
99318			50.62			is stable, recovering, or improving.
99310			30.02			Domiciliary or rest home visit for the evaluation
						and management of a new patient, which requires
						these three key components: a problem focused
						history; a problem focused examination; and
						straightforward medical decision making.
						Counseling and/or coordination of care with other
						providers or agencies are provided consistent with
						the nature of the problem(s) and the patient's and/or
						family's needs. Usually, the presenting problem(s)
						are of low severity. Physicians typically spend 20
99324	45.35	41.71				minutes with the patient and/or family or caregiver.
						Domiciliary or rest home visit for the evaluation
						and management of a new patient, which requires
						these three key components: an expanded problem
						focused history; an expanded problem focused
						examination; and medical decision making of low
						complexity. Counseling and/or coordination of care
						with other providers or agencies are provided
						consistent with the nature of the problem(s) and the
						patient's and/or family's needs. Usually, the
						presenting problem(s) are of moderate severity.
						Physicians typically spend 30 minutes with the
99325	66.23	61.93				patient and/or family or caregiver.
22343	00.23	01.93				patient and/or family of callegiver.

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Domiciliary or rest home visit for the evaluation
						and management of a new patient, which requires
						these three key components: a detailed history; a
						detailed examination; and medical decision making
						of moderate complexity. Counseling and/or
						coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually, the presenting problem(s) are of
						moderate to high severity. Physicians typically
						spend 45 minutes with the patient and/or family or
99326	95.65	91.01				caregiver.
						Domiciliary or rest home visit for the evaluation
						and management of a new patient, which requires
						these three key components: a comprehensive
						history; a comprehensive examination; and medical
						decision making of moderate complexity.
						Counseling and/or coordination of care with other
						providers or agencies are provided consistent with
						the nature of the problem(s) and the patient's and/or
						family's needs. Usually, the presenting problem(s)
						are of high severity. Physicians typically spend 60
99327	125.67	121.70				minutes with the patient and/or family or caregiver.
						Domiciliary or rest home visit for the evaluation
						and management of a new patient, which requires
						these three key components: a comprehensive
						history; a comprehensive examination; and medical
						decision making of high complexity. Counseling
						and/or coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually, the patient is unstable or has
						developed a significant new problem requiring
						immediate physician attention. Physicians typically
	,					spend 75 minutes with the patient and/or family or
99328	155.42	151.78				caregiver.
						Domiciliary or rest home visit for the evaluation
						and management of an established patient, which
						requires at least two of these three key components:
						a problem focused interval history; a problem
						focused examination; straightforward medical
						decision making. Counseling and/or coordination
						of care with other providers or agencies are
						provided consistent with the nature of the
						problem(s) and the patient's and/or family's needs.
						Usually, the presenting problem(s) are self-limited
00224	25.22	20.50				or minor. Physicians typically spend 15 minutes
99334	35.22	30.58				with the patient and/or family or caregiver.

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
99335	55.49	50.52				Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes with the patient and/or family or caregiver.
99336	85.18	79.88				Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 40 minutes with the patient and/or family or caregiver.
						Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; and medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes with the
99337	125.01	119.38				patient and/or family or caregiver.

		Global			
NFAC	FAC		PC Fee	TC Fee	Description
					Individual physician supervision of a patient
					(patient not present) in home, domiciliary or rest
					home (eg, assisted living facility) requiring
					complex and multidisciplinary care modalities
					involving regular physician development and/or
					revision of care plans, review of subsequent reports
					of patient status, review of related laboratory and
					other studies, communication (including telephone
					calls) for purposes of assessment or care decisions
					with health care professional(s), family member(s),
					surrogate decision maker(s) (eg, legal guardian)
					and/or key caregiver(s) involved in patient's care,
					integration of new information into the medical
					treatment plan and/or adjustment of medical
		I.C.			therapy, within a calendar month; 15-29 minutes
					Individual physician supervision of a patient
					(patient not present) in home, domiciliary or rest
					home (eg, assisted living facility) requiring
					complex and multidisciplinary care modalities
					involving regular physician development and/or
					revision of care plans, review of subsequent reports
					of patient status, review of related laboratory and
					other studies, communication (including telephone
					calls) for purposes of assessment or care decisions
					with health care professional(s), family member(s),
					surrogate decision maker(s) (eg, legal guardian)
					and/or key caregiver(s) involved in patient's care,
					integration of new information into the medical
					treatment plan and/or adjustment of medical
					therapy, within a calendar month; 30 minutes or
		I.C.			more
					Home visit for the evaluation and management of a
					new patient, which requires these three key
					components: a problem focused history; a problem
					focused examination; and straightforward medical
					decision making. Counseling and/or coordination
					of care with other providers or agencies are
					provided consistent with the nature of the
					problem(s) and the patient's and/or family's needs.
					Usually, the presenting problem(s) are of low
					severity. Physicians typically spend 20 minutes
		45.02			face-to-face with the patient and/or family.
_	NFAC	NFAC FAC	I.C.	NFAC FAC Fee PC Fee	NFAC FAC Fee PC Fee TC Fee

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
					_	Home visit for the evaluation and management of a
						new patient, which requires these three key
						components: an expanded problem focused history;
						an expanded problem focused examination; and
						medical decision making of low complexity.
						Counseling and/or coordination of care with other
						providers or agencies are provided consistent with
						the nature of the problem(s) and the patient's and/or
						family's needs. Usually, the presenting problem(s)
						are of moderate severity. Physicians typically spend
						30 minutes face-to-face with the patient and/or
99342			66.23			<u> </u>
99342			00.23			family.
						Home visit for the evaluation and management of a
						new patient, which requires these three key
						components: a detailed history; a detailed
						examination; and medical decision making of
						moderate complexity. Counseling and/or
						coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
						needs. Usually, the presenting problem(s) are of
						moderate to high severity. Physicians typically
						spend 45 minutes face-to-face with the patient
99343			96.31			and/or family.
						Home visit for the evaluation and management of a
						new patient, which requires these three
						components: a comprehensive history; a
						comprehensive examination; and medical decision
						making of moderate complexity. Counseling and/or
						coordination of care with other providers or
						agencies are provided consistent with the nature of
						the problem(s) and the patient's and/or family's
1						needs. Usually, the presenting problem(s) are of
						high severity. Physicians typically spend 60
99344			I.C.			minutes face-to-face with the patient and/or family.
						Home visit for the evaluation and management of a
						new patient, which requires these three key
						components: a comprehensive history; a
						comprehensive examination; and medical decision
						making of high complexity. Counseling and/or
						coordination of care with other providers or
						agencies are provided consistent with the nature of
1						the problem(s) and the patient's and/or family's
						needs. Usually, the patient is unstable or has
						developed a significant new problem requiring
						immediate physician attention. Physicians typically
						spend 75 minutes face-to-face with the patient
99345			I.C.			and/or family.
223 4 3	1		1.0.		l	and/or family.

Pose NFAC FAC Fee PC Fee TC Fee Description Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a problem focused interval history; a problem focused camination; straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; an expanded problem focused examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face to face with the patient and/or family's needs. Usually, the presenting problem(s) are moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are to high eventy. The patient may be unstable or may ha				Global			
Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a problem focused interval history; a provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused camination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive camination; medical decision making of moderate to high ecomplexity. Counseling problem(s) and the patient and/or family. Home visit for the evaluation and management of an e	Code	NFAC	FAC		PC Fee	TC Fee	Description
an established patient, which requires at least two of these three key components: a problem focused interval history; a problem focused interval history; a problem focused examination; straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused casmination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive veramination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature o	Couc	THE	IAC	100	1010	1010	
of these three key components: a problem focused interval history; a problem focused examination; straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused interval history; an expanded problem focused and problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other provided a decision making of moderate to high severity. Physicians typically spend of minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high spend of minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision maki							
interval history; a problem focused examination; straightforward medical decision making. Counseling and/or coordination of eare with other providers or agencies are provided consistent with the nature of the problem(s) and the patients' and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physiciant ypically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to face with the patient and/or family's needs. Usually, the propenensies a comprehensive variantation; medical decision making of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
straightforward medical decision making. Counseling and/or coordination of eare with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused interval history; and repaired sandor family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend of minutes face to face with the patient and/or family's needs. Usually and minutes face to face with the patient and/or family's needs. Usually, the presenting problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) and the patient's and/or family seeds. Usually, the presenting problem(s) are provided consistent with the nature of the problem(s) and the patient's and/or f							, , ,
Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicianly spically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high severity. Physicianly spically spend 40 minutes face-to-face with the patient and/or family's needs. Usually, the presenting problem(s) and of moderate to high severity. The patient may be unstable or may have developed a significant new problem (s) and the patient's and/or family's needs. Usually, the presenting problem(s) and of moderate to h							
providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused examination, medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family spend 25 minutes face-to-face with the patient and/or family; of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family's needs. Usually, the presenting problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) and the patient of the problem(s) and the patients and/or family's needs. Usually, the presenting problem(s) and the patients and/or family's needs. Usually, the presenting pro							
the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family. Physically, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused interval history; an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of eare with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
are self limited or minor. Physicians typically spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) are of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							1
spend 15 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
99347 35.22 Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting personal test at two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused interval history; an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
an established patient, which requires at least two of these three key components: an expanded problem focused interval history; an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family in the patient's and/or family in the providers or agencies are provided consistent with the nature of the problem(s) are of the problem	99347			35.22			
of these three key components: an expanded problem focused interval history; an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. 99348 555.49 Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
problem focused interval history; an expanded problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
problem focused examination; medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							coordination of care with other providers or
needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							agencies are provided consistent with the nature of
low to moderate severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							the problem(s) and the patient's and/or family's
spend 25 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							needs. Usually, the presenting problem(s) are of
99348 55.49 Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							low to moderate severity. Physicians typically
Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							spend 25 minutes face-to-face with the patient
an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient	99348			55.49			and/or family.
an established patient, which requires at least two of these three key components: a detailed interval history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							Home visit for the evaluation and management of
history; a detailed examination; medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							an established patient, which requires at least two
making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							of these three key components: a detailed interval
coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							history; a detailed examination; medical decision
coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							making of moderate complexity. Counseling and/or
the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							coordination of care with other providers or
needs. Usually, the presenting problem(s) are moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							agencies are provided consistent with the nature of
moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							the problem(s) and the patient's and/or family's
moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							needs. Usually, the presenting problem(s) are
spend 40 minutes face-to-face with the patient and/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
99349 B5.51 And/or family. Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient	99349			85.51			•
an established patient, which requires at least two of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
of these three key components: a comprehensive interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
interval history; a comprehensive examination; medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
medical decision making of moderate to high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							1 ' '
severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
developed a significant new problem requiring immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
immediate physician attention. Physicians typically spend 60 minutes face-to-face with the patient							
spend 60 minutes face-to-face with the patient							
77.170	99350			I.C.			and/or family.

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
0000	11110	1110		10100	10100	Prolonged physician service in the office or other
						outpatient setting requiring direct (face-to-face)
						patient contact beyond the usual service (eg,
						prolonged care and treatment of an acute asthmatic
						patient in an outpatient setting); first hour (List
00054	76.07	50.5 0				separately in addition to code for office or other
99354	76.37	72.73				outpatient Evaluation and Management service)
						Prolonged physician service in the office or other
						outpatient setting requiring direct (face-to-face)
						patient contact beyond the usual service (eg,
						prolonged care and treatment of an acute asthmatic
						patient in an outpatient setting); each additional 30
						minutes (List separately in addition to code for
99355	75.48	71.18				prolonged physician service)
						Prolonged physician service in the inpatient setting,
1						requiring direct (face-to-face) patient contact
						beyond the usual service (eg, maternal fetal
						monitoring for high risk delivery or other
						physiological monitoring, prolonged care of an
						acutely ill inpatient); first hour (List separately in
						addition to code for inpatient Evaluation and
99356			69.52			Management service)
99330			09.32			Prolonged physician service in the inpatient setting,
						requiring direct (face-to-face) patient contact
						beyond the usual service (eg, maternal fetal
						monitoring for high risk delivery or other
						physiological monitoring, prolonged care of an
						acutely ill inpatient); each additional 30 minutes
						(List separately in addition to code for prolonged
99357			70.07			physician service)
						Prolonged evaluation and management service
						before and/or after direct (face-to-face) patient care
						(eg, review of extensive records and tests,
						communication with other professionals and/or the
						patient/family); first hour (List separately in
						addition to code(s) for other physician service(s)
						and/or inpatient or outpatient Evaluation and
99358			I.C.			Management service)
						Prolonged evaluation and management service
						before and/or after direct (face-to-face) patient care
						(eg, review of extensive records and tests,
						communication with other professionals and/or the
						patient/family); each additional 30 minutes (List
						separately in addition to code for prolonged
99359			I.C.			physician service)
77557			1.0.			Physician standby service, requiring prolonged
						physician attendance, each 30 minutes (eg,
						operative standby, standby for frozen section, for
00360			1.0			
99360			I.C.			cesarean/high risk delivery, for monitoring EEG)

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Medical conference by a physician with
						interdisciplinary team of health professionals or
						representatives of community agencies to
						coordinate activities of patient care (patient not
99361			I.C.			present); approximately 30 minutes
						Medical conference by a physician with
						interdisciplinary team of health professionals or
						representatives of community agencies to
						coordinate activities of patient care (patient not
99362			I.C.			present); approximately 60 minutes
						Telephone call by a physician to patient or for
						consultation or medical management or for
						coordinating medical management with other
						health care professionals (eg, nurses, therapists,
						social workers, nutritionists, physicians,
						pharmacists); simple or brief (eg, to report on tests
						and/or laboratory results, to clarify or alter previous
						instructions, to integrate new information from
						other health professionals into the medical
99371			I.C.			treatment plan, or to adjust therapy)
						Telephone call by a physician to patient or for
						consultation or medical management or for
						coordinating medical management with other
						health care professionals (eg, nurses, therapists,
						social workers, nutritionists, physicians,
						pharmacists); intermediate (eg, to provide advice to
						an established patient on a new problem, to initiate
						therapy that can be handled by telephone, to discuss
						test results in detail, to coordinate medical
						management of a new problem in an established
						patient, to discuss and evaluate new information
99372			I.C.			and details, or to initiate new plan of care)
						Telephone call by a physician to patient or for
						consultation or medical management or for
						coordinating medical management with other
						health care professionals (eg, nurses, therapists,
						social workers, nutritionists, physicians,
						pharmacists); complex or lengthy (eg, lengthy
						counseling session with anxious or distraught
						patient, detailed or prolonged discussion with
						family members regarding seriously ill patient,
						lengthy communication necessary to coordinate
						complex services of several different health
00272						professionals working on different aspects of the
99373			I.C.			total patient care plan)

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Physician supervision of a patient under care of
						home health agency (patient not present) in home,
						domiciliary or equivalent environment (eg,
						Alzheimer's facility) requiring complex and
						multidisciplinary care modalities involving regular
						physician development and/or revision of care
						plans, review of subsequent reports of patient
						status, review of related laboratory and other
						studies, communication (including telephone calls)
						for purposes of assessment or care decisions with
						health care professional(s), family member(s),
						surrogate decision maker(s) (eg, legal guardian)
						and/or key caregiver(s) involved in patient's care,
						integration of new information into the medical
						treatment plan and/or adjustment of medical
99374	54.80	45.53				therapy, within a calendar month; 15-29 minutes
						Physician supervision of a patient under care of
						home health agency (patient not present) in home,
						domiciliary or equivalent environment (eg,
						Alzheimer's facility) requiring complex and
						multidisciplinary care modalities involving regular
						physician development and/or revision of care
						plans, review of subsequent reports of patient
						status, review of related laboratory and other
						studies, communication (including telephone calls)
						for purposes of assessment or care decisions with
						health care professional(s), family member(s),
						surrogate decision maker(s) (eg, legal guardian)
						and/or key caregiver(s) involved in patient's care,
						integration of new information into the medical
						treatment plan and/or adjustment of medical
						therapy, within a calendar month; 30 minutes or
99375			100.86			more
						Physician supervision of a hospice patient (patient
						not present) requiring complex and
						multidisciplinary care modalities involving regular
						physician development and/or revision of care
						plans, review of subsequent reports of patient
						status, review of related laboratory and other
						studies, communication (including telephone calls)
						for purposes of assessment or care decisions with
						health care professional(s), family member(s),
						surrogate decision maker(s) (eg, legal guardian)
						and/or key caregiver(s) involved in patient's care,
						integration of new information into the medical
						treatment plan and/or adjustment of medical
99377	54.80	45.53				therapy, within a calendar month; 15-29 minutes

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Physician supervision of a hospice patient (patient
						not present) requiring complex and
						multidisciplinary care modalities involving regular
						physician development and/or revision of care
						plans, review of subsequent reports of patient
						status, review of related laboratory and other
						studies, communication (including telephone calls)
						for purposes of assessment or care decisions with
						health care professional(s), family member(s),
						surrogate decision maker(s) (eg, legal guardian)
						and/or key caregiver(s) involved in patient's care,
						integration of new information into the medical
						treatment plan and/or adjustment of medical
						therapy, within a calendar month; 30 minutes or
99378			114.10			more
77310			117.10			Physician supervision of a nursing facility patient
						(patient not present) requiring complex and
						multidisciplinary care modalities involving regular
						physician development and/or revision of care
						plans, review of subsequent reports of patient
						status, review of related laboratory and other
						studies, communication (including telephone calls)
						for purposes of assessment or care decisions with
						health care professional(s), family member(s),
						surrogate decision maker(s) (eg, legal guardian)
						and/or key caregiver(s) involved in patient's care,
						integration of new information into the medical
						treatment plan and/or adjustment of medical
99379	54.58	45.31				therapy, within a calendar month; 15-29 minutes
						Physician supervision of a nursing facility patient
						(patient not present) requiring complex and
						multidisciplinary care modalities involving regular
						physician development and/or revision of care
						plans, review of subsequent reports of patient
						status, review of related laboratory and other
						studies, communication (including telephone calls)
						for purposes of assessment or care decisions with
						health care professional(s), family member(s),
						surrogate decision maker(s) (eg, legal guardian)
						and/or key caregiver(s) involved in patient's care,
						integration of new information into the medical
						treatment plan and/or adjustment of medical
						therapy, within a calendar month; 30 minutes or
99380	82.10	71.17				more
						Initial comprehensive preventive medicine
						evaluation and management of an individual
						including an age and gender appropriate history,
						examination, counseling/anticipatory guidance/risk
						factor reduction interventions, and the ordering of
						appropriate immunization(s), laboratory/diagnostic
99381	83.78	49.02				procedures, new patient; infant (age under 1 year)

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Decorintion
99382	89.82	56.05	ree	rcree	ТСТЕЕ	Description Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)
99383	87.83	56.05				Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)
99384	95.09	63.31				Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years)
99385	95.09	63.31				Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, new patient; 18-39 years
99386	111.64	77.54				Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, new patient; 40-64 years Initial comprehensive preventive medicine
99387	120.94	84.85				evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, new patient; 65 years and over

Code	NFAC	FAC	Global Fee	PC Fee	TC Fee	Description
99391	62.95	42.09				Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, established patient; infant (age under 1 year)
99392	70.21	49.02				Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, established patient; early childhood (age 1 through 4 years)
99393	69.22	49.02				Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, established patient; late childhood (age 5 through 11 years)
99394	76.25	56.05				Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)
99395	77.24	56.05				Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, established patient; 18-39 years
99396	85.16	63.31				Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of appropriate immunization(s), laboratory/diagnostic procedures, established patient; 40-64 years

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Periodic comprehensive preventive medicine
						reevaluation and management of an individual
						including an age and gender appropriate history,
						examination, counseling/anticipatory guidance/risk
						factor reduction interventions, and the ordering of
99397	93.79	70.62				appropriate immunization(s), laboratory/diagnostic procedures, established patient; 65 years and over
99391	93.19	70.02				
						Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual
99401	34.06	19.83				(separate procedure); approximately 15 minutes
77401	34.00	17.03				
						Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual
99402	56.43	39.87				(separate procedure); approximately 30 minutes
33102	30.13	37.01				Preventive medicine counseling and/or risk factor
						reduction intervention(s) provided to an individual
99403	77.47	59.92				(separate procedure); approximately 45 minutes
						Preventive medicine counseling and/or risk factor
						reduction intervention(s) provided to an individual
99404	98.90	80.03				(separate procedure); approximately 60 minutes
						Preventive medicine counseling and/or risk factor
						reduction intervention(s) provided to individuals in
						a group setting (separate procedure); approximately
99411	10.34	6.37				30 minutes
						Preventive medicine counseling and/or risk factor
						reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately
99412	15.43	10.47				60 minutes
>> 112	13.15	10.17				Administration and interpretation of health risk
99420			I.C.			assessment instrument (eg, health hazard appraisal)
99429			I.C.			Unlisted preventive medicine service
						History and examination of the normal newborn
						infant, initiation of diagnostic and treatment
						programs and preparation of hospital records. (This
						code should also be used for birthing room
99431			61.38			deliveries.)
						Normal newborn care in other than hospital or
						birthing room setting, including physical
99432	67.30	49.75				examination of baby and conference(s) with parent(s)
77 4 34	07.30	47.13				Subsequent hospital care, for the evaluation and
99433			32.27			management of a normal newborn, per day
77733			34.41			History and examination of the normal newborn
						infant, including the preparation of medical
						records. (This code should only be used for
						newborns assessed and discharged from the
99435			83.09			hospital or birthing room on the same date.)
						Attendance at delivery (when requested by
00.46.5			#C #C			delivering physician) and initial stabilization of
99436			58.50			newborn

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
						Newborn resuscitation: provision of positive
						pressure ventilation and/or chest compressions in
						the presence of acute inadequate ventilation and/or
99440			152.59			cardiac output
						Basic life and/or disability examination that
						includes: measurement of height, weight and blood
						pressure; completion of a medical history following
						a life insurance pro forma; collection of blood
						sample and/or urinalysis complying with chain of
00.450			1.0			custody protocols; and completion of necessary
99450			I.C.			documentation/certificates.
						Work related or medical disability examination by
						the treating physician that includes: completion of a
						medical history commensurate with the patient's
						condition; performance of an examination
						commensurate with the patient's condition; formulation of a diagnosis, assessment of
						capabilities and stability, and calculation of
						impairment; development of future medical
						treatment plan; and completion of necessary
99455			I.C.			documentation/certificates and report.
77733			1.0.			Work related or medical disability examination by
						other than the treating physician that includes:
						completion of a medical history commensurate
						with the patient's condition; performance of an
						examination commensurate with the patient's
						condition; formulation of a diagnosis, assessment
						of capabilities and stability, and calculation of
						impairment; development of future medical
						treatment plan; and completion of necessary
99456			I.C.			documentation/certificates and report.
99499			I.C.			Unlisted evaluation and management service
						Home visit for prenatal monitoring and assessment
						to include fetal heart rate, non-stress test, uterine
99500			I.C.			monitoring, and gestational diabetes monitoring
						Home visit for postnatal assessment and follow-up
99501			I.C.			care
99502			I.C.			Home visit for newborn care and assessment
						Home visit for respiratory therapy care (eg,
						bronchodilator, oxygen therapy, respiratory
99503			I.C.			assessment, apnea evaluation)
99504			I.C.			Home visit for mechanical ventilation care
						Home visit for stoma care and maintenance
99505			I.C.			including colostomy and cystostomy
99506			I.C.			Home visit for intramuscular injections
						Home visit for care and maintenance of catheter(s)
99507			I.C.			(eg, urinary, drainage, and enteral)
						Home visit for assistance with activities of daily
99509			I.C.			living and personal care
,,,,,,,			1.0.			Home visit for individual, family, or marriage
			1	i	1	i i i i i i i i i i i i i i i i i i i

			Global			
Code	NFAC	FAC	Fee	PC Fee	TC Fee	Description
99511			I.C.			Home visit for fecal impaction management and enema administration
99512			I.C.			Home visit for hemodialysis
99600			I.C.			Unlisted home visit service or procedure
99601			I.C.			Home infusion/specialty drug administration, per visit (up to 2 hours);
00/02						Home infusion/specialty drug administration, per visit (up to 2 hours); each additional hour (List separately in addition to code for primary
99602			I.C.			procedure)

Tobacco Cessation Counseling Services

Code	NFAC	FAC	Description
G0376	49.53	48.69	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes (at least 30 minutes). (Eligible providers are physician, independent nurse practitioner, and independent nurse midwife.)
G0376 SA	42.10	41.39	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes (at least 30 minutes). (Eligible providers are nurse practitioners employed by an eligible billing entity.)
G0376 SB	42.10	41.39	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes (at least 30 minutes). (Eligible providers are nurse midwives employed by an eligible billing entity.)
G0376 HN	42.10	41.39	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes (at least 30 minutes). (Eligible providers are physician assistants employed by an eligible billing entity.)
G0376 TD	42.10	41.39	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes (at least 30 minutes). (Eligible providers are registered nurses employed by an eligible billing entity.)
G0376 U1	42.10	41.39	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes (at least 30 minutes). (Eligible providers are tobacco cessation counselors employed by an eligible billing entity.)
G0376 TF	74.30	73.04	Smoking and tobacco use cessation counseling visit; intensive (intake assessment for an individual, at least 45 minutes). (Eligible providers are physician, independent nurse practitioner, and independent nurse midwife.)
G0376 U2	63.20	62.08	Smoking and tobacco use cessation counseling visit; intensive (intake assessment for an individual, at least 45 minutes). (Eligible providers are nurse practitioner, nurse midwife, physician assistant, registered nurse, and tobacco cessation counselor.)
G0376 HQ	29.72	29.21	Smoking and tobacco use cessation counseling visit; intensive (for an individual in a group setting, at least 90 minutes). (Eligible providers are physician, independent nurse practitioner, and independent nurse midwife.)
G0376 U3	25.26	24.83	Smoking and tobacco use cessation counseling visit; intensive (for an individual in a group setting, at least 90 minutes). (Eligible providers are nurse practitioner, nurse midwife, physician assistant, registered nurse, and tobacco cessation counselor.)

Code	Global Fee	Description
H2011	18.39	Crisis intervention service, per 15 minutes
J0128	66.83	Injection, abarelix, 10 mg
J0135	307.30	Injection, adalimumab, 20 mg

Code	Global Fee	Description
J0170	0.57	Injection, adrenalin, epinephrine, up to 1 ml ampule
J0215	26.28	Injection, alefacept, 0.5 mg
J0256	3.24	Injection, alpha 1-proteinase inhibitor - human, 10 mg
J0270	1.82	Injection, alprostadil, 1.25 mcg (code may be used for Medicare when drug administered
		under direct supervision of a physician, not for use when drug is self-administered)
J0290	1.78	Injection, ampicillin sodium, 500 mg
J0295	4.52	Injection, ampicillin sodium/sulbactam sodium, per 1.5 g
J0456		Injection, azithromycin, 500 mg
J0460		Injection, atropine sulfate, up to 0.3 mg
J0475		Injection, baclofen, 10 mg
J0476	70.87	Injection, baclofen, 50 mcg for intrathecal trial
J0530		Injection, penicillin G benzathine and penicillin G procaine, up to 600,000 units
J0540	25.89	Injection, penicillin G benzathine and penicillin G procaine, up to 1,200,000 units
J0550	32.60	Injection, penicillin G benzathine and penicillin G procaine, up to 2,400,000 units
J0560	19.46	Injection, penicillin G benzathine, up to 600,000 units
J0570		Injection, penicillin G benzathine, up to 1,200,000 units
J0580		Injection, penicillin G benzathine, up to 2,400,000 units
J0585	4.90	Botulinum toxin type A, per unit
J0587	7.93	Botulinum toxin type B, per 100 units
J0592	0.75	Injection, buprenorphine HCl, 0.1 mg
J0640	0.91	Injection, leucovorin calcium, per 50 mg
J0690		Injection, cefazolin sodium, 500 mg
J0694	7.52	Injection, cefoxitin sodium, 1 g
J0696	3.37	Injection, ceftriaxone sodium, per 250 mg
J0697	1.77	Injection, sterile cefuroxime sodium, per 750 mg
J0702	5.07	Injection, betamethasone acetate and betamethasone sodium phosphate, per 3 mg
J0704	0.91	Injection, betamethasone sodium phosphate, per 4 mg
J0780	2.28	Injection, prochlorperazine, up to 10 mg
J0835		Injection, cosyntropin, per 0.25 mg
J0881	3.03	Injection, darbepoetin alfa, 1 mcg (non-ESRD use)
J0882		Injection, darbepoetin alfa, 1 mcg (for ESRD on dialysis)
J0885		Injection, epoetin alfa, (for non-ESRD use), 1000 units
J0886		Injection, epoetin alfa, 1000 units (for ESRD on dialysis)
J0900	1.38	Injection, testosterone enanthate and estradiol valerate, up to 1 cc
J1020		Injection, methylprednisolone acetate, 20 mg
J1030		Injection, methylprednisolone acetate, 40 mg
J1040		Injection, methylprednisolone acetate, 80 mg
J1055		Injection, medroxyprogesterone acetate for contraceptive use, 150 mg
J1056		Injection, medroxyprogesterone acetate/estradiol cypionate, 5 mg/25 mg
J1060		Injection, testosterone cypionate and estradiol cypionate, up to 1 ml
J1070		Injection, testosterone cypionate, up to 100 mg
J1080		Injection, testosterone cypionate, 1 cc, 200 mg
J1094		Injection, dexamethasone acetate, 1 mg
J1100		Injection, dexamethasone sodium phosphate, 1 mg
J1160		Injection, digoxin, up to 0.5 mg
J1170		Injection, hydromorphone, up to 4 mg
J1200	0.79	Injection, diphenhydramine HCl, up to 50 mg

Code	Global Fee	Description
J1260	6.82	Injection, dolasetron mesylate, 10 mg
J1320	2.24	Injection, amitriptyline HCl, up to 20 mg
J1438	155.58	Injection, etanercept, 25 mg (code may be used for Medicare when drug administered under
		the direct supervision of a physician, not for use when drug is self-administered)
J1440	184.27	Injection, filgrastim (G-CSF), 300 mcg
J1441	292.35	Injection, filgrastim (G-CSF), 480 mcg
J1460	10.69	Injection, gamma globulin, intramuscular, 1 cc
J1470	21.37	Injection, gamma globulin, intramuscular, 2 cc
J1480	32.05	Injection, gamma globulin, intramuscular, 3 cc
J1490	42.74	Injection, gamma globulin, intramuscular, 4 cc
J1500	53.43	Injection, gamma globulin, intramuscular, 5 cc
J1510	64.13	Injection, gamma globulin, intramuscular, 6 cc
J1520	74.76	Injection, gamma globulin, intramuscular, 7 cc
J1530	85.49	Injection, gamma globulin, intramuscular, 8 cc
J1540	96.22	Injection, gamma globulin, intramuscular, 9 cc
J1550	106.86	Injection, gamma globulin, intramuscular, 10 cc
J1566	22.26	Injection, immune globulin, intravenous, lyophilized (e.g., powder), 500 mg
J1567	29.09	Injection, immune globulin, intravenous, non-lyophilized (e.g., liquid), 500 mg
J1580	1.68	Injection, garamycin, gentamicin, up to 80 mg
J1626	6.87	Injection, granisetron HCl, 100 mcg
J1630	1.29	Injection, haloperidol, up to 5 mg
J1644	0.12	Injection, heparin sodium, per 1,000 units
J1650	5.44	Injection, enoxaparin sodium, 10 mg
J1655	2.20	Injection, tinzaparin sodium, 1000 IU
J1670	91.57	Injection, tetanus immune globulin, human, up to 250 units
J1700	I.C.	Injection, hydrocortisone acetate, up to 25 mg
J1710	I.C.	Injection, hydrocortisone sodium phosphate, up to 50 mg
J1720	1.90	Injection, hydrocortisone sodium succinate, up to 100 mg
J1745	54.24	Injection, infliximab, 10 mg
J1751	12.42	Injection, iron dextran 165, 50 mg
J1752		Injection, iron dextran 267, 50 mg
J1790	1.08	Injection, droperidol, up to 5 mg
J1800	4.74	Injection, propranolol HCl, up to 1 mg
J1815		Injection, insulin, per 5 units
J1885	0.50	Injection, ketorolac tromethamine, per 15 mg
J1890		Injection, cephalothin sodium, up to 1 g
J1940		Injection, furosemide, up to 20 mg
J1950	444.55	Injection, leuprolide acetate (for depot suspension), per 3.75 mg
J1956		Injection, levofloxacin, 250 mg
J1990		Injection, chlordiazepoxide HCl, up to 100 mg
J2001		Injection, lidocaine HCl for intravenous infusion, 10 mg
J2060		Injection, lorazepam, 2 mg
J2150		Injection, mannitol, 25% in 50 ml
J2175	1.62	Injection, meperidine HCl, per 100 mg
J2250		Injection, midazolam HCl, per 1 mg
J2270		Injection, morphine sulfate, up to 10 mg
J2271	3.85	Injection, morphine sulfate, 100 mg

Code	Global Fee	Description
J2275	5.13	Injection, morphine sulfate (preservative-free sterile solution), per 10 mg
J2300	1.08	Injection, nalbuphine HCl, per 10 mg
J2310	2.51	Injection, naloxone HCl, per 1 mg
J2355	245.70	Injection, oprelvekin, 5 mg
J2357	16.49	Injection, omalizumab, 5 mg
J2405		Injection, ondansetron HCl, per 1 mg
J2430	29.59	Injection, pamidronate disodium, per 30 mg
J2440	0.54	Injection, papaverine HCl, up to 60 mg
J2469	17.68	Injection, palonosetron HCl, 25 mcg
J2503	1054.70	Injection, pegaptanib sodium, 0.3 mg
J2505	2163.20	Injection, pegfilgrastim, 6 mg
J2510	8.27	Injection, penicillin G procaine, aqueous, up to 600,000 units
J2515	5.23	Injection, pentobarbital sodium, per 50 mg
J2550	2.08	Injection, promethazine HCl, up to 50 mg
J2560	2.26	Injection, phenobarbital sodium, up to 120 mg
J2650	0.33	Injection, prednisolone acetate, up to 1 ml
J2675	1.81	Injection, progesterone, per 50 mg
J2680	1.49	Injection, fluphenazine decanoate, up to 25 mg
J2760	23.60	Injection, phentolamine mesylate, up to 5 mg
J2765	0.52	Injection, metoclopramide HCl, up to 10 mg
J2780	0.67	Injection, ranitidine HCl, 25 mg
J2788	14.26	Injection, Rho D immune globulin, human, minidose, 50 mcg
J2790	98.04	Injection, Rho D immune globulin, human, full dose, 300 mcg
J2792	13.70	Injection, Rho D immune globulin, intravenous, human, solvent detergent, 100 IU
J2794	4.78	Injection, risperidone, long acting, 0.5 mg
J2820	23.34	Injection, sargramostim (GM-CSF), 50 mcg
J2910	24.50	Injection, aurothioglucose, up to 50 mg
J2916	5.06	Injection, sodium ferric gluconate complex in sucrose injection, 12.5 mg
J2920	1.42	Injection, methylprednisolone sodium succinate, up to 40 mg
J2930	2.36	Injection, methylprednisolone sodium succinate, up to 125 mg
J2940	I.C.	Injection, somatrem, 1 mg
J2941	44.15	Injection, somatropin, 1 mg
J3010	0.29	Injection, fentanyl citrate, 0.1 mg
J3030	52.25	Injection, sumatriptan succinate, 6 mg (code may be used for Medicare when drug administered under the direct supervision of a physician, not for use when drug is self-
		administered)
J3110		Injection, teriparatide, 10 mcg
J3120		Injection, testosterone enanthate, up to 100 mg
J3130		Injection, testosterone enanthate, up to 200 mg
J3230		Injection, chlorpromazine HCl, up to 50 mg
J3250		Injection, trimethobenzamide HCl, up to 200 mg
J3301		Injection, triamcinolone acetonide, per 10 mg
J3302		Injection, triamcinolone diacetate, per 5 mg
J3303		Injection, triamcinolone hexacetonide, per 5 mg
J3360		Injection, diazepam, up to 5 mg
J3396		Injection, verteporfin, 0.1 mg
J3410	0.40	Injection, hydroxyzine HCl, up to 25 mg

Code	Global Fee	Description
J3411	1.91	Injection, thiamine HCl, 100 mg
J3420		Injection, vitamin B-12 cyanocobalamin, up to 1,000 mcg
J3430	3.36	Injection, phytonadione (vitamin K), per 1 mg
J3475	0.15	Injection, magnesium sulphate, per 500 mg
J3487	202.74	Injection, zoledronic acid, 1 mg
J3490	I.C.	Unclassified drugs
J3590		Unclassified biologics
J7030	0.94	Infusion, normal saline solution, 1,000 cc
J7040		Infusion, normal saline solution, sterile (500 ml = 1 unit)
J7042		5% dextrose/normal saline (500 ml = 1 unit)
J7050		Infusion, normal saline solution, 250 cc
J7060		5% dextrose/water (500 ml = 1 unit)
J7070		Infusion, D-5-W, 1,000 cc
J7304		Contraceptive supply, hormone containing patch, each
J7317		Sodium hyaluronate, per 20 to 25 mg dose for intra-articular injection
J7320		Hylan G-F 20, 16 mg, for intra-articular injection
J7340		Dermal and epidermal, (substitute) tissue of human origin, with or without bioengineered or
		processed elements, with metabolically active elements, per square centimeter
J7341	1.65	Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or
		processed elements, with metabolically active elements, per square centimeter
J7342	15.14	Dermal (substitute) tissue of human origin, with or without other bioengineered or processed
		elements, with metabolically active elements, per square centimeter
J7343	15.34	Dermal and epidermal, (substitute) tissue of non-human origin, with or without other
		bioengineered or processed elements, without metabolically active elements, per square centimeter
J7344	67.02	Dermal (substitute) tissue of human origin, with or without other bioengineered or processed
0,01.	97.192	elements, without metabolically active elements, per square centimeter
J7350	29.74	Dermal (substitute) tissue of human origin, injectable, with or without other bioengineered or
		processed elements, but without metabolized active elements, per 10 mg
J7599		Immunosuppressive drug, NOC
J9000		Doxorubicin HCl, 10 mg
J9001		Doxorubicin HCl, all lipid formulations, 10 mg
J9025	4.13	Injection, azacitidine, 1 mg
J9031		BCG live (intravesical), per instillation
J9035		Injection, bevacizumab, 10 mg
J9040	24.59	Bleomycin sulfate, 15 units
J9041	30.09	Injection, bortezomib, 0.1 mg
J9045	13.87	Carboplatin, 50 mg
J9055	49.86	Injection, cetuximab, 10 mg
J9060	1.88	Cisplatin, powder or solution, per 10 mg
J9062		Cisplatin, 50 mg
J9070	2.00	Cyclophosphamide, 100 mg
J9080		Cyclophosphamide, 200 mg
J9090	16.73	Cyclophosphamide, 500 mg
J9091	19.99	Cyclophosphamide, 1 g
J9092	39.98	Cyclophosphamide, 2 g
J9093	I.C.	Cyclophosphamide, lyophilized, 100 mg
J9094	I.C.	Cyclophosphamide, lyophilized, 200 mg

Code	Global Fee	Description
J9095		Cyclophosphamide, lyophilized, 500 mg
J9096	I.C.	Cyclophosphamide, lyophilized, 1 g
J9097	I.C.	Cyclophosphamide, lyophilized, 2 g
J9130	4.26	Dacarbazine, 100 mg
J9140		Dacarbazine, 200 mg
J9170		Docetaxel, 20 mg
J9181		Etoposide, 10 mg
J9182	4.85	Etoposide, 100 mg
J9190	1.78	Fluorouracil, 500 mg
J9201	117.70	Gemcitabine HCl, 200 mg
J9202	199.47	Goserelin acetate implant, per 3.6 mg
J9206	126.47	Irinotecan, 20 mg
J9212	3.92	Injection, interferon alfacon-1, recombinant, 1 mcg
J9213	33.85	Interferon alfa-2A, recombinant, 3 million units
J9214	13.67	Interferon alfa-2B, recombinant, 1 million units
J9215	I.C.	Interferon alfa-N3, (human leukocyte derived), 250,000 IU
J9216	289.87	Interferon gamma-1B, 3 million units
J9217	245.31	Leuprolide acetate (for depot suspension), 7.5 mg
J9218	7.94	Leuprolide acetate, per 1 mg
J9219	2178.36	Leuprolide acetate implant, 65 mg
J9250	0.20	Methotrexate sodium, 5 mg
J9260	1.99	Methotrexate sodium, 50 mg
J9263	8.55	Injection, oxaliplatin, 0.5 mg
J9264	8.27	Injection, paclitaxel protein-bound particles, 1 mg
J9265		Paclitaxel, 30 mg
J9293	339.97	Injection, mitoxantrone HCl, per 5 mg
J9300	2287.15	Gemtuzumab ozogamicin, 5 mg
J9305		Injection, pemetrexed, 10 mg
J9310		Rituximab, 100 mg
J9340		Thiotepa, 15 mg
J9355		Trastuzumab, 10 mg
J9360		Vinblastine sulfate, 1 mg
J9370		Vincristine sulfate, 1 mg
J9375		Vincristine sulfate, 2 mg
J9380		Vincristine sulfate, 5 mg
J9390		Vinorelbine tartrate, per 10 mg
J9395		Injection, fulvestrant, 25 mg
J9999		NOC, antineoplastic drug
S0020		Injection, bupivicaine HCl, 30 ml
S0021		Injection, ceftoperazone sodium, 1 gram
S0023		Injection, cimetidine HCl, 300 mg
S0028		Injection, famotidine, 20 mg
S0077		Injection, clindamycin phosphate, 300 mg
S0162		Injection, efalizumab, 125 mg
S0302	9.05	Completed early periodic screening diagnosis and treatment (EPSDT) service (list in addition to code for appropriate evaluation and management service)

Code	Global Fee	Description
T1023	57.44	Screening to determine the appropriateness of consideration of an individual for participation
		in a specified program, project or treatment protocol, per encounter

17.05: Severability

The provisions of 114.3 CMR 17.00 are severable and if any such provision or the application of such provisions to any person or circumstances shall be held to be invalid or unconstitutional, such invalidity shall not be construed to affect the validity or constitutionality of any remaining provisions to eligible providers or circumstances other than those held invalid.

REGULATORY AUTHORITY 114.3 CMR 17.00: M.G.L. c. 118G